






CANDA-HINO

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
H10010	DM100 KM DIESEL ALFIN	13216-1120 13216-1120A 2352-1961-00	6	90	104.00	53.8 -1.7 -4.0	2.5 2.5 2.5 4.0 4.0	29.000	77.00		
H10020	DQ100 DIESEL ALFIN	13216-1130	6	92	104.00	53.8 -1.7 -1.38	2.5 2.5 2.5 4.0 4.0		76.00		
H10030	EC100 KL DIESEL	13216-1140 13216-1140C 2380-1940-01	6	97	112.00	58.0 -1.2 -4.0 -6.1	2.5 2.5 2.5 4.0 4.0	31.500	81.50		
H10260	W04D DIESEL ALFIN	13211-1801 13216-1460/E	4	104	106.20	60.5 -19.3 -0.7 -1.2	2.5 2.0 5.0	35.000	85.00		51.6*19.3
H10261	W04D-NEW W06D-NEW	13216-2220	4/6	104	106.20	60.2 -18.4	2.5 2.0 5.0	35.000	85.00		51.6*19.3
H10280	W06E DIESEL ALFIN	13211-2070 13216-1720 13216-1720B	6	104	106.10	60.5 -19.0	2.5 2.0 5.0	35.000	85.00		51.6*19
H10270	W04D	13216-2220	4	104	106.20	60.1 -18.4	2.5 2.0 5.0	35.000	85.00		51.5*18.4
H10420	W04CT DIESEL alfin and with oil gallery	13216-2210	4	104	108.70	62.7 -8.5 -21.0	2.8DK 2.5 4.0	37.000	85.00		52.4*21
H10440	N04C alfin and with oil gallery	13216-E0010 13211-78170	4	104	100.00	60.2 -8.5 -18.8	2.5 2.0 4.0	37.000	85.00		59.3*18.8
H10450	XZU ALFIN OIL GALLERY	13216-E0010		104	99.9		2.5 2.0 4.0	37	85		
H10460	XZU ALFIN	13216-E0010		104	99.9		2.5 2.0 4.0	37	85		
H10470	W04D-TK ALFIN	13216-3250 S130B-E0E00		104	106.1		2.8K 2.0 4.0	37	85		

CANDA-HINO

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
H10480	W06D			104	108.7		2.5 2.0 5.0	35	85		
H10490	W06D ALFIN	13216-1470		104	108.7		2.5 2.0 5.0	35	85		
H10500	W04C-T ALFIN STEEL IN	13211-1981		104	108.8		2.8K 2.5 5.0	37	85		
H10510	W06D			104	108.7		2.5 2.0 5.0	35	85		
H10520	W06D ALFIN	13216-1470		104	108.7		2.5 2.0 5.0	35	85		
H10530	W04C-T ALFIN STEEL IN	13211-1981		104	108.8		2.8K 2.5 5.0	37	85		
H10660	N04C ALFIN OIL GALLERY COPPER BUSH	S130B-E0140(13216-E0290)		104	97.15		2.5 2 4	37	85		
H10080	EH100 KR DIESEL ALFIN	13216-1010 2382-1961-00	6	105	112.00	59.0 -1.0 -6.7	2.5 2.5 2.5 4.0 4.0	34.000	89.50		
H10090	EH300 DIESEL ALFIN	13216-1160	6	108	114.00	59.5 -1.7 -9.1 -7.0	3.0 2.5 5.0 4.0	35.000	90.00		
H10100	EH500 DIESEL ALFIN	13216-1340	6	108	121.50	69.5 -24.3 -1.0 -1.2	3.0 2.5 2.5 5.0	39.000	90.00		54.3*24.3
H10170	H06C TA DIESEL ALFIN	13216-1540 13216-1540B	6	108	121.50	69.5 -25.5	2.8DK 2.5 2.5 5.0	39.000	90.00		55.5*25.5
H10180	H06CT DIESEL ALFIN	13216-1750	6	108	121.50	69.5 -0.5 -21.1	2.85DK 2.5 2.5 5.0	39.000	90.00		59.8*21
H10181	H06CT DIESEL ALFIN		6	108	121.50	69.5 -20.3	2.8DK 2.5 2.5 5.0	39.000	90.00		60*21







CANDA-HINO

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
H10410	H06CT DIESEL alfin and with oil gallery	13216-2750	6	108	121.40	69.5 -21.0	2.8DK 2.5 2.5 4.0	39.000	90.00		57*21
H10411	H06CT DIESEL alfin and with oil gallery	13216-2240	6	108	121.40	69.5 -21.0	2.8DK 2.5 2.5 5.0	39.000	90.00		55*21
H10412	H06CT DIESEL alfin and with oil gallery	13216-2800	6	108	121.40	69.5 -21.0	2.8DK 2.5 2.5 5.0	39.000	90.00		57*21
H10413	H06CT DIESEL alfin and with oil gallery	13216-2930	6	108	121.40	69.5 -21.0	2.8DK 2.5 2.5 4.0	37.000	85.00		52.4*21
H10540	H06C ALFIN	13216-1540		108	121.5		2.8K 2.5 2.5 5.0	39	90		
H10550	H06C-T ALFIN	13216-2120 13211-2120 13216-1750		108	121.5		2.8K 2.5 2.5 5.0	39	90		
H10570	EH700 ALFIN	13216-1390 13216-1181G		110	121		3 2.5 2.5 5	39	90		
H10580	EH700	13216-1181 13211-1471		110	121		3 2.5 2.5 5	39	90		
H10590	H07C-LA ALFIN	13216-2290 13211-2580 13216-1771G		110	121.2		3 2.5 2.5 5	39	90		
H10600	H07C	13216-1500 13211-1581		110	121.2		3 2.5 2.5 5	39	90		
H10610	H07C	13216-1500		110	121.2		3 2.5 2.5 5	39	90		
H10620	H07C	13211-1471		110	121.2		3 2.5 2.5 5	39	90		
H10630	H07C-MA ALFIN	13216-2300 13211-2161		110	121.46		3 2.5 2.5 5	39	90		
H10650	H07C-T ALFIN	13211-2152 13216-2152		110	121.5		2.8K 2 2.5 4	39	90		






CANDA-HINO

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
H10640	H07C-T ALFIN OIL GALLERY	13211-2152 13216-2152		110	121.5		2.8K 2 2.5 4	39	90		
H10110	EH700 KT925 DIESEL ALFIN	13211-1471 13216-1180 13216-1181	6	110	121.50	69.5 -1.0 -24.3	3.0 2.5 2.5 5.0	39.000	90.00		55*24
H10191	H07C-NEW DIESEL ALFIN	13216-2430 13216-1800 13211-2160	6	110	121.50	69.5 -20.0	3.0 2.5 2.5 5.0	39.000	90.00		53*20
H10192	H07C	13216-1771 13216-2300	6	110	121.50	69.5 -20.0	3.0 2.5 2.5 5.0	39.000	90.00		53*20
H10193	H07C		6	110	121.50	69.5 -20.0	3.0 2.5 2.5 5.0	39.000	90.00		53.4*20
H10194	H07C		6	110	121.50	69.5 -20.0	3.0 2.5 2.5 5.0	39.000	90.00		53.4*20
H10190	H07C-LATE H07C DIESEL ALFIN	13216-1851 13216-2290	6	110	121.50	69.5 -28.3 -21.2	3.0 2.5 2.5 5.0	9.000	90.00		51.7*28.3
H10195	H07C		6	110	121.50	69.5 -27.5	3.0 2.5 2.5 5.0	39.000	90.00		51.5*27.5
H10200	H07CA-NEW H07CT DIESEL ALFIN WITH OIL GALLERY	13216-2062 13211-2152 13211-3090	6	110	121.50	69.5 -13.0 -19.0	2.8DK 2.0 2.5 4.0	39.000	90.00		58.5*19
H10202	H07C DIESEL ALFIN WITH OIL GALLERY	13216-2760	6	110	121.50	69.5 -21.0	2.8DK 2.0 2.5 4.0	39.000	90.00		
H10210	H07D DIESEL ALFIN	13216-2260	6	110	100.00	57.2 -20.3	3.0 2.0 4.0	37.000	85.00		58.5*20.5

CANDA-HINO

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
H10211	H07DT DIESEL ALFIN	13216-2870	6	110	100.00	57.0 -20.5 -15.0	3.0 2.0 4.0	37.000	85.00		57*20.5
H10201	H07CT NEW DIESEL ALFIN WITH OIL GALLERY	13216-2740 13211-3190	6	110	121.50	69.5 -19.5	2.8DK 2.0 2.0 4.0	39.000	90.00		58.5*19
H10320	J08E ALFIN WITH OIL GALLERY PIN HOLE WITH COPPER SLEEVE		4 5 6	112	100.00	57.1 -18.5 -10.5	2.5 2.0 4.0	37.000	85.00		63.5*18.5
H10670	J05E ALFIN OIL GALLERY COPPER BUSH	S130B-E0370 (S130A-E0160)		112	100		2.5 2 4	37	85		
H10430	S05D DIESEL ALFIN	13218-78030	4	114	100.00	57.0 -11.0 -20.5	2.5 2.0 4.0	37.000	85.00		54.5*20.5
H10560	J08C ALFIN OIL GALLERY COPPER BUSH			114	100		2.5 2.0 4.0	37	85		
H10680	J08C-CNG ALFIN STEEL IN			114	98		3 2 4	37	85		
H10690	J08CT ALFIN OIL GALLERY COPPER BUSH	S1301-E0020/ A130A-E0030		114	100.000		3 2 4	37.000	85.00		
H10700	J08CT ALFIN COPPER BUSH	S1301-E0020/ A130A-E0030		114	100.000		3 2 4	37.000	85.00		
H10220	J05C J07C J08C DIESEL ALFIN	13216-2631	4 5 6	114	110.00	57.1 -19.8	3.0 2.0 4.0	37.000	85.00		56*20
H10820	J08C ALFIN STELL IN			114			2 2 4	37.000	85.00		
H10230	J05CT J07CT J08CT DIESEL ALFIN WITH OIL GALLERY	13306-1080 PIN BUSHING INSERTED	4 5 6	114	100.00	57.0 -18.4 -11.5	2.5 2.0 4.0	37.000	85.00		65*18.5






CANDA-HINO

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
H10140	EL100 DIESEL ALFIN	13211-1563 13216-1272/A	6	116	130.50	78.5 -1.0 -27.5	3.0 2.5 2.5 5.0	40.000	93.00		58*27.5
H10162	P09C DIESEL ALFIN WITH OIL GALLERY	13216-2061 13216-2460	6	120	144.60	85.5 -23.3 -14.2 -1.6 -1.0	3.3DK 3.0 2.5 5.0	47.000	99.00		65*23
H10710	EP100T ALFIN	13216-1450 13211-1770		120	144.600		3.3K 2.8K 2.5 5	47.000	99.00		
H10720	EP100T ALFIN OIL GALLERY	13216-1450		120	144.600		3.3K 2.8K 2.5 5	47.000	99.00		
H10163	EP100 DIESEL ALFIN WITH OIL GALLERY	13216-1420	6	120	144.60	85.5 -25.0	3.3DK 3.0 2.5 5.0	47.000	99.00		67*27
H10161	EP100-T DIESEL ALFIN WITH OIL GALLERY	13216-1450	6	120	144.60	85.6 -0.7 -25.0	3.35DK 2.9DK 2.5 5.0	47.000	99.00		67*27
H10160	EP100 DIESEL ALFIN WITH OIL GALLERY	13216-2080	6	120	144.60	85.6 -27.0 -19.0 -1.0	3.3DK 3.0 2.5 5.0	47.000	99.00		67*27
H10150	EM100 DIESEL ALFIN	13216-1370 13211-1700	6	124	139.40	80.4 -0.7 -27.2	2.8DK 2.5 3.0 5.0	42.000	98.00		63*28
H10310	M10U	13211-2001	6	127	144.50	85.5 -27.5	3.3DK 3.0 3.0 5.0	47.000	99.00		65*27.5
H10290	M10C DIESEL ALFIN	13216-2411 13211-2320	6	127	144.50	85.5 -23.9 -1.2	3.3DK 3.0 3.0 5.0	47.000	99.00		65*24
H10040	ED100 DIESEL ALFIN	13216-1170	6	128	160.00	99.2 -48.5	3.5 3.5 3.5 6.0	48.000	107.00		49.3*48.5

CANDA-HINO

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
H10050 H10051	EF300 DIESEL ALFIN	13211-1060 13216-1241 L 13226-1011 R	8	132	145.30	90.8 -1.3 -27	3.3DK 3.5 3.5 6.0	50.000	110.00		68*27.5
H10060 H10061	EF550 DIESEL ALFIN	13226-1140 L 13216-1560 R	8	135	145.40	90.3 -7.9 -30.4	3.3DK 3.5 3.5 6.0	50.000	110.00		72.5*30.5
H10300 H10301	EF500 DIESEL ALFIN	13216-1022 R 13216-1252 L 13211-1112	6	135	145.40	90.3 -1.2 -30.0	3.3DK 3.5 3.5 6.0	50.000	110.00		
H10240	K13C DIESEL ALFIN WITH OIL GALLERY	13216-2140 13211-2111 13211-2671	6	135	145.50	90.3 -1.0 -24.5	3.3DK 3.5 3.5 5.0	50.000	110.00		81*27
H10380	K13C DIESEL ALFIN WITH OIL GALLERY	13211-3260 13216-2330	6	135	145.20	90.20	3.3DK 3.5 3.5 5.0	50.000	110.00		84*24.5
H10070 H10071	EF750 DIESEL ALFIN	13216-1860 L 13226-1170 R 13226-1430 R	8	137	144.50	90.2 -2.3 -30.3	3.3DK 3.5 3.5 6.0	50.000	110.00		74*30
H10120	EK100 DIESEL ALFIN	13216-1220A 13216-1222 13216-1224 13211-1036 13211-1530	6	137	145.40	90.2 -2.2 -31.7	3.3DK 3.5 3.5 6.0	50.000	110.00		73.8*31.5
H10130	EK200 DIESEL ALFIN	13211-1900 13216-1530 13216-1900	6	137	145.30	90.5 -2.4 -32.0	3.3DK 3.5 3.5 6.0	50.000	110.00		74*32
H10250	K13D DIESEL ALFIN	13216-2100	6	137	144.50	90.2 -26.0 -14.0	3.5DK 3.5 3.5 5.0	50.000	110.00		74.5*26
H10330 H10331	F17D DIESEL ALFIN	13216-2050 L 13226-1200 R	8	137	144.20	90.2 -24.5 -13.5	3.4DK 3.5 3.5 5.0	50.000	110.00		73*24.5

CANDA-HINO

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
H10740	EF750-R ALFIN	13226-1152		137	144.000		3.3K 3.5 3.5 6	50.000	110.00		
H10750	EF750-L ALFIN	13216-1860		137	145.300		3.3K 3.5 3.5 6	50.000	110.00		
H10760	EF750-R ALFIN	13226-1170		137	145.300		3.3K 3.5 3.5 6	50.000	110.00		
H10400 H10401 H10402 H10403	F17D-T DIESEL ALFIN	13216-2981 L 13216-1341 R	8	137	142.20	86.8 -10 -24	3.5DK 3.5 3.5 4.0	50.000	110.00		68.8*24 68.5*24
H10730	EF750-L ALFIN	13216-1742		137	144.000		3.3K 3.5 3.5 6	50.000	110.00		
H10770	F17C-L ALFIN	13216-1910 13211-2281		139	144.300		3.3K 3.5 3.5 5	50.000	110.00		
H10780	F17C-R ALFIN	13226-1180 13221-1201		139	144.300		3.3K 3.5 3.5 5	50.000	110.00		
H10790	V22C-L ALFIN	13216-1842		139	144.400		3.3K 3.5 3.5 6	50.000	110.00		
H10340 H10341	F17E DIESEL ALFIN	13216-2110 L 13226-1210 R	8	139	144.30	90.3 -25.0 -12.0	3.4DK 3.5 3.5 5.0	50.000	110.00		71.3*25
H10800	V22C-R ALFIN	13226-1162		139	144.400		3.3K 3.5 3.5 6	50.000	110.00		
H10360 H10361	F17C DIESEL ALFIN	13216-1910 L 13226-1180 R 13226-1800 R	8	139	144.30	90.3 -14.5 -26.0	3.4DK 3.5 3.5 5.0	50.000	110.00		74.4*26
H10350 H10351	F20C DIESEL ALFIN	13216-2671A L 13216-1321 R 13226-1321 R	8	146	138.40	84.3 -27.2 -15.2	3.4DK 3.5 3.5 5.0	50.000	110.00		76*27.3
H10390 H10391	F20C DIESEL ALFIN	13216-1321 L 13226-1221 R	8	146	138.20	84.2 -12 -26.5	3.4DK 3.0 3.0 4.0	50.000	110.00		70*26.5

CANDA-HINO

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
H10392 H10393	F20C DIESEL ALFIN	L R	8	146	138.20	84.2 -25	3.4DK 3.5 3.5 5.0	50.000	110.00		72*25
H10370 H10371	F21C DIESEL ALFIN	13211-2602 L 13216-1331 L 13216-2661 R	8	150	138.30	84.30	3.4DK 3.0 3.0 4.0	50.000	110.00		72*27

CANDA-HONDA

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
H20160	PFBJ	13101-P07-000	4	66	48.50	28.0 +2.0	1.2 1.2 2.8	18.000	50.00		
H20220	883	13101-883-003	4	67	56.00	23.50	2.0 2.0 3.0	15.000			
H20230	ZH8	13101-2H8-000	4	68	53.50	23.50	1.5 1.5 2.5	18.000			
H20030	EN EB3	13101-PA1-010	4	72	65.00	27.8 +2.8	1.5 1.5 4.0	17.000	62.00		
H20130	L15A6	13010-PWB-G03	4	73	47.50	28.6 -5.0	1.0 1.2 2.0	18.000	54.00		
H20170	L15A	13010-RB0-000	4	73	49.30	26.3 +2.2	1.0 1.0 2.0	18.000	54.00		
H20260	PWC		4	73	49.20	27.6	1.0 1.2 2.0	18.000			
H20270	REA		4	73	50.10	26.1	1.0 1.2 2.0	18.000			
H20240	L13A4	13101-PWH- MOO	4	73	47.20	26.30	1.2 1.2 2.0	18.000			
H20250	REJWO		4	73	47.30	26.3	1.0 1.2 2.0	18.000			