













CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
K20010	M74			74	60.800		单 1.17 1.5 3	22.000	5.90		56*19.5
K20020	1G796			87	79.900		2 2 4	25.000	64.00		
K20030	1G884			87	73.300		2 1.5 2	25.000	64.00		
K20040	4D92E ALFIN STEEL IN			92	103.700		2.0HK 2 3	30.000	37.00		
K20050	4D94	6142-32-2110 6142-32-2121	4	94	99.20	55.3 -8.3 -2.7	2.9 2.5 5.0	32.000	74.00		54*20
K20060	4D94E-1	YM129931- 22100	4	94	104.00	60.0 -3.5	2.0HK 2.0 3.0	30.000	72.00		56*19.7
K20070	4D94E-2 4D94/A	299031-22080	4	94	104.00	60.0 -3.5	2.5HK 2.0 4.5	30.000	74.00		56*19.7
K20080	4D94-NEW		4	94	98.00	55.2 -10.0 -18.5	2.9 2.5 5.0	32.000	71.00		56*19.5
K20090	4D94LE		4	94	99.50	55.5	2.0HK 2.0 3.0	30.000	72.00		
K20100	4D94E STELL IN	129901-22081		94	103.800		2.0HK 2 3	30.000	72.50		51*15.8

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
K20110	S6D95-2 S4D95	6207-31-2141 6202-32-2110	6/4	95	94.20	51.2 -19.6 -9.4	2.5DK 2.2HK 4.0	30.000	74.00		51.4*22
K20120	4D95L-1	6204-31-2121 6202-32-2111	4	95	94.15	51.2 -20.0 -10.2	2.0 2.0 4.0	30.000	74.00		51.3*23
K20130	S6D95-1	6207-31-2120	6	95	94.10	51.2 -19.6 -9.4	2.5DK 2.2HK 4.0	30.000	74.00		56*19.5
K20140	S6D95-3 S6D95L	6207-31-2180	6	95	94.20	51.2 -19.6 -9.4	2.5DK 2.2DK 4.0	30.000	74.00		51.5*22.7
K20150	6D95-5		6	95	94.20	51.2 -9.5 -19.5	2.5DK 2.2HK 4.0	30.000	74.00		59*21.7
K20160	6D95-6		6	95	94.20	51.2 -9.7 -19.5	2.5DK 2.2DK 4.0	30.000	74.00		58*22.8
K20170	4D95-3 4D95S-1	6201-31-2121 6202-32-2130	4	95	104.10	61.0 -3.8 -1.9	2.2HK 2.0 4.0	30.000	74.00		54*54*23
K20180	4D95-4 6D95L-4 6D95A	6202-33-2160 6202-32-2150 6202-33-2150	4/6	95	104.30	61.2 -15.8 -8.5	2.0 2.0 4.0	30.000	74.00		59*22.5
K20190	4D95SW-Z 4D95-2 4D95L	6204-32-2161 6202-32-2120	4	95	94.10	51.0 -3.8 -1.8	2.2HK 2.0 4.0	30.000	74.00		59*22.3
K20200	4D95-T3		4	95	83.80	50.8 -10.0 -17.0	2.4DK 2.0 3.0	30.000	74.00		66*21.2
K20210	4D95-T4		4	95	83.80	50.8 -10.0 -17.0	2.4DK 2.0 2.5	30.000	74.00		66*22

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
K20220	6D95		6	95	94.20	51.2 -9.7 -19.5	2.5DK 2.2DK 4.0	30.000	74.00		
K20230	6D95-5		6	95	94.20	51.2 -9.7 -19.5	2.5DK 2.2HK 4.0	30.000	74.00		124*23.5
K20240	4D95L			95	83.700		2 2 4	30.000	74.00		66.5*24
K20250	4D95L	6205-31-2172 6204-31-2141-5		95	84.300		2 2 4	30.000	74.00		66.5*24
K20260	B3.3	E2170		95	84.300		2 2 4	30.000	74.00		75*25
K20270	B3.3	E2190		95	84.300		2 2 4	30.000	74.00		66*24
K20280	B3.3	E2190		95	84.300		2 2 4	30.000	74.00		50*18.5
K20290	B3.3	E2172		95	84.300		2 2 4	30.000	74.00		51*26
K20300	S6D95 ALFIN STEEL IN	6207-31-2141		95	94.200		2.5K 2.0HK 4	30.000	74.00		51.3*23
K20310	S6D95 ALFIN STEEL IN	6207-31-2141		95	94.200		2.5K 2.0HK 4	30.000	74.00		

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
K20320	4D95			95	94.500		K 双梯 双梯 1.5 4	30.000	74.00		61*20
K20330	4D95L			95	84.300			30.000	74.00		62*26.3
K20340	4D95L			95	84.400		2 2 4	30.000	74.00		70.5*26
K20350	4D95 ALFIN			95	93.900		2.5K 2 4	30.000	74.00		70*26
K20360	6D95SS3 ALFIN STEEL IN			95	94.200		2.5K 2 4	30.000	74.00		70*25.8
K20370	S6D95-5 ALFIN STEEL IN	6207-31-2141 6207-31-2110		95	94.200		2.5K 2.0HK 4	30.000	74.00		61*18.2
K20380	4D98E ALFIN STEEL IN	22081		98	99.500		2.0HK 2 3	30.000	72.50		79*13
K20390	S4D102 S6D102	6735-31-2140 6735-31-2110 6735-31-2111	4/6	102	105.40	71.6 -22.1 -9.0	2.85DK 2.4 4.0	40.000	82.70		
K20400	S6D102		6	102	105.20	71.7 -9.0 -22.7	2.85DK 2.4 4.0	40.000	82.70		81*14.4
K20410	S6D102		6	102	105.60	71.6 -8.7 -22.7	2.85DK 2.4 4.0	40.000	82.70		81*14.5
K20420	S6D102		6	102	105.50	71.6 -9.0 -23.0	2.85DK 2.4 4.0	40.000	82.70		81*14.5
K20430	S6D105		6	105	107.70	69.0 -21.7	3.0DK 2.5HK 5.0	40.000	85.00		61*20






CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
K20440	S6D105-1	6136-32-2110	6	105	107.70	69.2 -22.9 -15.6	3.0 2.5 5.0	40.000	84.00		
K20450	S6D105-2 4D105 6D105	6136-31-2111 6136-31-2112 6136-31-2012	6	105	107.70	69.0 -22.6 -13.5	3.0 2.5 5.0	40.000	84.00		46*80*17
K20460	S6D105 SA6D105	6137-32-2110 6137-32-2130 6137-32-2010	6	105	107.70	69.2 -22.2 -14.6	3.0DK 2.5HK 5.0	40.000	85.00		46*73.5*17
K20470	S6D105		6	105	107.70	69.0 -14.8 -22.3 -2.0 -3.5	3.0DK 2.5HK 5.0	40.000	85.00		
K20480	4D105	6131-32-2120	4	105	107.50	69.0 -12.5 -2.0	3.0 2.5 5.0	38.000	88.50		
K20490	4D105		4	105	120.00	74.0 -18.3 -10.5	3.0DK 2.5 5.0	38.000	89.00		56*19.5
K20500	S6D105ES ALFIN			105	107.500		3.0K 2.5 5	38.000	89.00		56*19.5
K20510	S6D105	6136-31-2112		105	107.600		3 2.5 5	40.000	84.50		63.4*21.6
K20520	S6D105	6136-32-2120		105	107.900		3 2.5 5	40.000	84.50		56.5*23.9
K20530	S6D107			106.86	103.300		K1.59 2.5 3.5	40.000	90.50		66*21.5
K20540	S6D107 alfin and with oil gallery		6	107	103.20	69.5 -6.3 -18.2	3.0DK 2.5 3.5	40.000	90.00		
K20550	S6D107E alfin and with oil gallery	6754-31-2110 6754-31-2111	6	107	103.20	69.5 -6.3 -13.0	3.0DK 2.5 3.5	40.000	90.00		

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
K20560	S6D108	6222-31-2116	6	108	113.80	66.7 -21.6	2.5DK 2.5DK 4.0	45.000	85.00		
K20570	S6D108 alfin and with oil gallery	6222-33-2110	6	108	113.80	66.7 -26.0	2.5DK 2.5DK 4.0	45.000	85.00		
K20580	S6D110-2	6138-32-2120	6	110	116.20	69.2 -22.0 -13.0	2.8DK 2.5HK 5.0	40.000	90.00		
K20590	S6A ALFIN			110	121.000		3.0HK 2.5 5 5	42.000	94.00		
K20600	S6D114 DUBLE ALFIN	114049RI 4933120	6	114	115.00	79.0 -14.4	3.5DK 3.0DK 4.0	45.000	92.00		
K20610	S6D114 DUBLE ALFIN	6745-32-2120	6	114	115.50	79.0 -14.5	3.5DK 3.0DK 4.0	45.000	91.00		
K20620	6D114 6CTAA	4933120	6	114	115.50	79.0 -14.5	3.5DK 3.0DK 4.0	45.000	91.00		
K20630	6D114 6CT 210HP	3919564 3923163	6	114	120.20	79.0 -21.6	3.5DK 3.0DK 4.0	45.000	91.00		
K20640	6D114 6CTAA 260HP	3925878	6	114	120.50	79.0 -23.9	3.5DK 3.0DK 4.0	45.000	91.00		
K20650	6D114 6CTAA 240HP	3919565	6	114	120.50	79.0 -21.5	3.5DK 3.0DK 4.0	45.000	91.00		
K20660	S6D125			124.81	131.200		K1.77 K1.13 4	48.000	104.00		
K20670	S6D125	6151-31-2120	6	125	131.20	80.1 -24.0	2.5DK 2.5DK 4.0	48.000	104.00		
K20680	S6D125	6151-32-2110	6	125	131.10	80.0 -24.0	2.5DK 2.5DK 4.0	48.000	104.00		
K20690	S6D125	6151-31-2171	6	125	131.10	80.2 -24.7 -13.4	2.5DK 2.5DK 4.0	48.000	104.00		
K20700	S6D125		6	125	131.20	80.1 -24.0	2.5DK 2.5DK 4.0	48.000	104.00		
K20710	S6D125		6	125	131.20	80.2 -8.6 -26.3	2.5DK 2.5DK 4.0	48.000	104.00		
K20720	S6D125-24V		6	125	131.20	80.2 -26.0	2.5DK 2.5DK 4.0	48.000	104.00		
K20730	S6D125-24V		6	125	131.1	80.1 -26.0	2.5DK 2.5DK 4.0	48	104		
K20740	S6D125		6	125	131.20	80.2 -25.8	2.5DK 2.5DK 4.0	48.000	104.00		
K20750	4D130 ALFIN	6114-31-2111		130	135.000		3.5 2.5 5.5	44.000	102.50		

CANDA-KOMATSU

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
K20760	S6D155 ALFIN	6127-31-2140R	6	155	167.50	102.4 -16.5	3.5DK 3.5DK 4.75	60.000	130.00		
K20770	S6D155 ALFIN	6128-31-2140R	6	155	170.00	105 -23.5	3.5DK 3.5DK 4.75	60.000	130.00		
K20780	S6D107 alfin and with oil gallery										

CANDA-KUBOTA

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
K30140	Z482 D722	16851-21112 16851-21900	2/3	67	59.10	32.7 -1.0	1.5HK 1.5 3.0	20.000	50.00		40*17
K30141	Z482 D722		2/3	67	56.40	29.9 -1.0	1.5HK 1.5 3.0	20.000	50.00		47*14.5
K30360	67 灰 STEEL IN			67	59.1		1.7HK 1.5 3	20	50		42*16.5
K30370	67 黑 STEEL IN			67	56.2		1.6HK 1.5 3	20	50		42*16.5
K30380	902 STEEL IN			68	56.3		1.6HK 1.5 3	20	50		47*15
K30290	HD-011	RG-25Y	4	73	71.90	39.0 -1.2	2.5HK 2.0 2.0 4.0	19.000	64.00	