











CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
S20040	ST90 F5A	12111-78110 12111-78111	3/4	62	57.50	27.5 -1.0	1.5 1.5 2.8	16.000	50.00		
S20170	F5A(NEW)	12111-85060	3	62	47.90	23.6	1.2 1.2 2.8	15.000			
S20180	F5A	12111-85080	3	62	48.20	23.9	1.2 1.2 2.8	15.000			
S20181	F5A(OLD)	12111-78110	3	62	57.50	27.5	1.52 1.5 2.8	16.000			
S20190	462-A		4	62	55.50	25	1.5 1.5 2.8	16.000			
S20200	F8A ST90 LJ80	12111-78111	4	62	57.50	27.5	1.5 1.5 2.8	16.000			
S20140	55S			64	42.00	26.0 -4.0	1.0 1.0 2.0	16.000	44.00		
S20070	F6A	12111-86050	3	65	52.60	25.4 -0.5	1.0 1.2 2.0	16.000	49.00		
S20071	F6A		3	65	52.60	25.5 -0.7	1.2 1.5 2.5	16.000	49.00		
S20072	F6A		3	65	52.60	25.5 -0.7	1.2 1.5 2.5	16.000	49.00		
S20080	F6A		3	65	52.50	25.5 -0.5	1.2 1.5 2.5	16.000	49.00		

CANDA-SUZUKI

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
S20210	F5B	12111-85020	3	65	51.20	26.2	1.2 1.5 2.5	16.000			
S20220	F6A	12111-86050	4	65	52.60	25.6 -0.6	1.2 1.5 2.5	16.000			
S20010	SJ410 F10A ST100	12111-75107	4	65.5	55.00	24.5 -2.0	1.5 1.5 2.8	16.000	53.00		
S20230	465Q2		4	65.5	55.00	24.5 -0.5	1.5 1.5 2.8	16.000			
S20240	F10A ST100 SJ410	12111-75107 12111-85201	4	65.5	55.00	24.5 -2	1.5 1.5 2.8	16.000			
S20250	466 465Q5		4	66	54.00	23.5	1.5 1.5 2.8	16.000			
S20060	K6A	12111-83G01	3	68	52.60	25.8	1.0 1.2 2.0	18.000	49.00		
S20020	SS80 F8B ST308	12111-78400 12111-78402	3/4	68.5	55.00	25.0 -2.5 -3.1	1.5 1.5 2.8	16.000	53.00		
S20260	F8B SS80	12111-78400 12111-78402	3	68.5	55.00	25 -3	1.5 1.5 2.8	16.000			
S20270	472		4	72	54.90	28 -1.2	1.2 1.5 2.8	17.000			
S20030	SJ413 G13V	12111-82010 12111-63B5A	4	74	55.30	28.5	1.2 1.5 2.8	17.000	65.00		
S20090	G13	12100-61840	4	74	55.30	28	1.2 1.5 2.8	17.000	65.00		
S20091	G13	12111-83000	4	74	55.40	28.4 -1.3 -5.3	1.2 1.5 2.8	17.000	65.00		
S20100	G13B	12111-63E60	4	74	56.00	29	1.2 1.2 2.5	19.000	61.00		
S20130	G13	12111-63B50	4	74	56.40	29.5 -1.2	1.2 1.5 2.8	17.000	65.00		
S20280	474		4	74	56.00	29	1.2 1.2 2.5	19.000			

CANDA-SUZUKI

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
S20050	G16A 13A	12111-60A02 12111-60A00	4	75	58.20	28.5 -3.3 -4.7	1.2 1.5 2.8	19.000	62.00		
S20110	G16	12111-61J50	4	75	55.20	28.2	1.2 1.2 2.5	19.000	61.00		
S20150	G16	12111-71C51	4	75	55.30	28.3 -6.0	1.2 1.5 2.8	19.000	62.00		
S20160	M13A	12100-69811	4	78	59.50	29.9 -1.9 -4.2	1.2 1.2 2.5	20.000	58.00		
S20290	J20A	12100-65811	4	84	58.90	29.4-4.9	1.2 1.5 2.5	21.000			

CANDA-UNIVERSAL

CNA NO.	ENGINE TYPE	OEM NO.	NO. CYL	PISTON				PIN		HEAD TYPE	COMBUSTION HOTE
				DIA	LENGTH	COMP. DIST	RING	DIA	LENGTH		
U10010	D110 STEEL IN			108	141		3 3 3 6 6	40	88		
U10020	UTB			108	141		3 3 3 6	40	88		
U10030	UTB			108	141		3 3 3 6 6	40	88		
U10040	UTB			108	141		3 3 3 6	40	88		
U10050	UTB			108	141		3 3 3 6 6	40	88		