

CUMMINS

| ENGINE | Bore | REF. NO. | Surface | Characters | PIN OD | PIN L | KH | GL | MT | MΦ | Material | Thickness |
|------------|------|---|----------------------|-------------------|--------|-------|-------|--------|------|------|----------|----------------------|
| A2300 | 88 | | | ALFIN | 30 | 68 | | 82 | | | | 2.0 2.03 3.0 |
| ISF2.8 | 94 | 4995266 | Phosphating Graphite | ALFIN OIL GALLERY | 34.5 | 73 | 48.7 | 76 | 16.3 | 52 | | 2.5T 2 3 |
| ISF2.8 | 94 | | Phosphating Graphite | ALFIN OIL GALLERY | 54.5 | 73 | | 76 | | 58 | | 2.5K 2.0 3.0 |
| B3.3-E2141 | 95 | E2141 | None | None | 30 | 74 | 51.4 | 84.4 | 21 | 45 | | 2 2 4 |
| B3.3-E2190 | 95 | E2190 | None | None | 30 | 74 | 51.4 | 84.4 | 19.5 | 50 | | 2 2 4 |
| B3.3-E2170 | 95 | E2170 | None | None | 30 | 74 | 51.4 | 84.4 | 18 | 48.4 | | 2 2 4 |
| QSB | 95 | 4941139 | | ALFIN | 30 | 74 | 50.8 | 73.8 | 16.9 | 46 | AL | T? 2 3 |
| QSB | 95 | 4992405 | | | | | | | | | | |
| QSB | 95 | 4992404 | | | | | | | | | | |
| QSB | 95 | 4944477 4988219(0.25) 4988003(0.5) | None | ALFIN | | | | | | | AL | |
| QSB | 95 | 4992407(0.25) 4982109 4992406(0.5) | | | | | | | | | | |
| QSB | 95 | 4992406 | | | | | | | | | | |
| QSB3.3 | 95 | 4944477 | | | | | | | | | | |
| QSB | 95 | 4992407 | | | | | | | | | | |
| QSB | 95 | 4992406 | | | | | | | | | | |
| QSB3.3 | 95 | 4941139 | | | | | | | | | | |
| QSB | 95 | 4992405 | | | | | | | | | | |
| QSB | 95 | 4992404 | | | | | | | | | | |
| QSB | 95 | 3948568 | | | | | | | | | | |
| QSB | 95 | 3948569 | | | | | | | | | | |
| 6BTAA | 102 | 3957790 6735-31-2111 | None | ALFIN | 40 | 83 | 71.6 | 105.4 | 22 | 51.4 | AL | 3.0T 2,385 4.0 |
| ISF3.8 | 102 | 5258754 5262760(0.5) 5262761(1.0) | Phosphating Graphite | ALFIN OIL GALLERY | 40 | 83 | 73.85 | 108.95 | 18 | 70 | | 3.0T 2,385 4.0 |
| 6BT | 102 | 3907163 3802160 99676600 3908815 (0.5) 3908816 (1.0) | None | ALFIN | 40 | 76 | 71.56 | 105.5 | 17.5 | 59 | AL | 3T 2,35 4 |
| 6BT 5.9L | 102 | 102-2268000 3926631(STD) 3926634(0.5) 3926635(1.0) | None | ALFIN | 40 | 83 | 71.6 | 105.4 | 22 | 51.3 | AL | 3T 2,385 4 |
| 6BT | 102 | 4072 | None | ALFIN | 40 | 83 | 71.6 | 105.4 | 10 | 55.5 | AL | 3 2.5 4 |
| 6BT | 102 | 3907156 | Graphite, Oxidizing | ALFIN | 40 | 76 | 71.5 | 105.5 | 17.3 | 64 | AL | 3T 2,385 4 |

CUMMINS

| ENGINE | Bore | REF. NO. | Surface | Characters | PIN OD | PIN L | KH | GL | MT | Mφ | Material | Thickness |
|-------------------------|------|--|-----------|-------------------------|--------|-------|-------|--------|------|-------|----------|------------------------------|
| 6BT 5.9 | 102 | 4897512 | | ALFIN | 40 | 83 | 71.5 | 105.3 | 18.1 | 56.5 | | 3.0T 2.385 4.0 |
| ISB | 102 | 3970192 | None | ALFIN OIL GALLERY | 40.01 | 83.2 | 71.4 | 105.3 | 12.5 | 76.5 | AL | 3.0T 2.385 4.0 |
| 6BT5.9 | 102 | 3928673 3802747 | | ALFIN | 40 | 83 | 71.6 | 105.4 | 22 | 51.4 | AL | 3T 2.385 4 |
| ISB630(6BTAA) QSB5.9 | 102 | 3942665 | None | ALFIN | 40 | 83 | 71.65 | 105.4 | 18.8 | 61.3 | | 3 2.5 4 |
| 6BT | 102 | 102018 | None | None | 40 | 78 | 71.9 | 105.6 | | | | 3 2.5 4 |
| 6BT | 102 | 102018-8 3907156 | None | ALFIN | 40 | 78 | 71.6 | 105.3 | | | AL | 3 2.5 4 |
| 6BT | 102 | 3922571 3908035(0.5) 3908036(1.0) | None | ALFIN | 40 | 85 | 71.8 | 105.3 | | | AL | 3.0T 2.385 4.0 |
| ISB | 102 | 3946153 3946156(+0.5) 3946157(+1.0) | None | ALFIN | 40 | 83 | 71.6 | 105.4 | 18.8 | 61.3 | AL | 3T 2.38 4 |
| ISB | 102 | 3939398 3965259(0.5) 3965260(1.0) | | ALFIN | 34.5 | 79.1 | 55.9 | 88 | 23.2 | 54 | AL | 3T 2.38 4.0 |
| 4B4.5C 4BT4.5C | 102 | 3969000 3970123(0.5) 3970124(1.0) | None | ALFIN | 34.5 | 79.1 | 55.9 | 88 | 22.4 | 54 | AL | 3T 2.38 4 |
| ISB5.9 | 102 | 3972880(STD) 3972881(+0.5) 3972882(1.0) | None | ALFIN OIL GALLERY | 40 | 83 | 71.38 | 105.2 | 18.6 | 56.4 | AL | 3T 2.38 4(BIG HOLE) |
| 6BTAA5.9 | 102 | 3957416 3957417(0.5) 3957418(1.0) | None | ALFIN | 40 | 83 | 71.58 | | 21.7 | 50.4 | AL | 3T 2.38 4.0 |
| 6BT | 102 | 3948465(STD) 3948468(0.5) | Oxidizing | ALFIN | 40 | 83 | 71.6 | 105.4 | 18.8 | 61.3 | AL | T T 4 |
| 6BT | 102 | 3957795 KIT:3957797 | None | ALFIN | 40 | 83 | 71.5 | 105.3 | 23 | 51 | AL | 3T 2.385 4 |
| BT | 102 | 3930187 (+0.5:3930188) (+1.0:3930189) | None | 2-ALFIN | 40 | 83 | 71.5 | 105.5 | 22 | 52 | AL | |
| 4B3.9/6BT5.9 | 102 | 3906223 3802060 3926209(0.5) 3906208(1.0) | | | | | | | | | AL | |
| 4BT3.9/6BT5.9 | 102 | 3908815 3802132 | | ALFIN | | | | | | | AL | |
| 4BT3.9/6BT5.9 | 102 | 3908816 3802134 | | ALFIN | | | | | | | AL | |
| 6BTA5.9 ISB | 102 | 3946050-STD 3946053- 0.5 3946054-1.0 | None | ALFIN | 40 | 83 | 71.6 | 105.38 | 18.8 | 59 | AL | 3T 2.38 4 |
| ISB-215 | 102 | 3958675-STD 3949843- 0.5 3949844-1.0 | None | ALFIN | 40 | 83 | 71.4 | 105.18 | 18.6 | 56.44 | AL | 3T 2.38 4 |
| 6BTAA5.9 QSB | 102 | 3957418 | | | | | | | | | | |
| BT | 102 | 3965497(STD), 3966675(0.5),3966676(1.0) ,3949841(0.5) 4089259 4089140 | None | ALFIN OIL GALLERY | 40 | | 71.4 | 105.2 | 18.6 | 70 | AL | |

CUMMINS

| ENGINE | Bore | REF. NO. | Surface | Characters | PIN OD | PIN L | KH | GL | MT | MΦ | Material | Thickness |
|------------------------|------|--|-------------------------|-------------------------|--------|-------|-------|--------|------|-------|----------|------------------------|
| QSB4.5 | 102 | 3969036 3970840(0.5) 3970841(1.0) | None | ALFIN | 34.5 | 79.1 | 55.7 | 88 | 22.6 | 54 | AL | 2.38 2.38 4 |
| 6BTAA | 102 | 3926632 | None | ALFIN | 40 | 83 | 71.69 | 105.5 | 22 | 51.4 | AL | 3.0T 2.385 4.0 |
| SAA4D102E SAA6D102E | 102 | 6738-31-2111 6738312111 kit: 3957797 | None | ALFIN | 40 | 83 | 71.5 | 105.3 | 23 | 51 | AL | 3T 2.385 4 |
| 4BT3.9/6BT5.9 | 102 | 3903579 3903656(0.5) 3903665(1.0) | None | ALFIN | 40 | 75.8 | 71.4 | 105.3 | 16.5 | 60 | AL | 3T 2.385 4 |
| 6BT | 102 | 3957795 | None | ALFIN | 40 | 83 | 71.5 | 105.3 | 23 | 51 | AL | 3T 2.385 4 |
| YEN193 | 102 | | NONE | ALFIN | 40 | 83 | | 105.18 | | 51.15 | | 2.85K 2.385 4.00 |
| YEN194 | 102 | | NONE | ALFIN | 40 | 75.8 | | 105.36 | | 59 | | 2.85K 2.385 4.00 |
| 6BT145 | 102 | 3907163 | SHINING | ALFIN | 40 | 76 | | 105.4 | | 59 | | 3.0K 2.385 4.0 |
| 6BTA | 102 | 3907156 | SHINING | ALFIN | 40 | 76 | | 105.4 | | 64 | | 3.0K 2.385 4.0 |
| 6BTAA | 102 | 3948466 | ANODIZED | ALFIN | 40 | 83 | | 105.4 | | 61 | | 3K 3K 4.0 |
| YEN195 | 102 | | SHINING | ALFIN | 40 | 83 | | 105.4 | | 51.25 | | 2.85K 2.385 4.00 |
| ISF3.8 | 102 | 5258754 | PHOSPHATING GRAPHITE | ALFIN OIL GALLERY | 40 | 82.5 | | 108.9 | | 69.9 | | 2.8K 2.38 4.0 |
| 6CT CNG | 102 | | | | 40 | 82.7 | | 104.5 | | | | 3.2DK 3.0 4.0 |
| 6BT CNG | 102 | | | | 40 | 82.7 | | 104.5 | | | | 2.4 2.4 4.0 |
| 6BT-210 | 102 | | | | 40 | 82.7 | | 105.4 | | | | 2.85DK 2.4 4.0 |
| 6BT5.9-G2 QSB 6.7 | 107 | 4934860 3975868 4931888 5336107 4376353 4934816(0.5) | None | ALFIN OIL GALLERY | 40 | 90.5 | 69.4 | 103.3 | 13.1 | 78.8 | AL | 3T 2.5 3.5 |
| QSB6.7 | 107 | 4938619 4936946 5336103 4938620(0.5) 41541600 | None | ALFIN OIL GALLERY | 40 | 90.5 | 69.39 | 103.2 | 18.2 | 73 | AL | 3T 2.5 3.5 |
| QSB6.7 | 107 | 5255257 | None | ALFIN OIL GALLERY | 40 | 90.5 | 69.4 | 103.2 | 19.5 | 61 | AL | 3T 2.5 3.5 |
| QSB6.7 | 107 | 130301 | None | ALFIN OIL GALLERY | 40 | 90.4 | 69.4 | 103.2 | 18.2 | 60.9 | AL | T 2.5 3.5 |
| ISDE | 107 | | None | ALFIN OIL GALLERY | | | | | | | AL | |
| QSB6.7 | 107 | 5255257 | Phosphating Graphite | ALFIN OIL GALLERY | 40 | 90.5 | | | | | AL | 3T 2.5 3.5 |

CUMMINS

| ENGINE | Bore | REF. NO. | Surface | Characters | PIN OD | PIN L | KH | GL | MT | MΦ | Material | Thickness |
|---|------|--|-------------------------|--|--------|-------|-------|--------|-------|-------|----------|---------------------|
| 6CT | 114 | 3923163 3919564 | Oxidizing | 2-ALFIN | 45 | 91 | 79 | 120.5 | 21.7 | 63.4 | AL | 3.5T 3T 4 |
| 6CT | 114 | 3923164 (3802183 3802281 3908750 3914368 3919565 3 919930 1295-69-3H91) | | 2-ALFIN | 45 | 91 | 79 | 120.5 | 21 | 65.3 | AL | 3.5T 3T 4 |
| 6CT (C8.3-230) | 114 | 3923537 3923539 | Oxidizing | 2-ALFIN | 45 | 91 | 79 | 120.5 | 21 | 65.3 | AL | 3.5T 3T 4 |
| 6CT (C8.3-260) | 114 | 3925878 | Oxidizing | 2-ALFIN | 45 | 91 | 79 | 120.45 | 24 | 56.7 | AL | 3.5T 3T 4 |
| 6CT (C8.3- 300) | 114 | 3917707 3925673 | Oxidizing | 2-ALFIN | 45 | 91 | 79 | 120.45 | 25 | 56 | AL | 3.5T 3T 4 |
| 6CT | 114 | 3943367 | None | 2-ALFIN | 45 | 91 | 79 | 120.5 | 19.2 | 69.4 | AL | T2.2 T1.7 4 |
| L375 | 114 | 4941395(C) 3966721(S) | Phosphating | None | 45 | 91.5 | 74.2 | 105 | 22.3 | 64.7 | Steel | 3.5T 3T 4 |
| L375 | 114 | 4932721(C) | Phosphating | None | 45 | 91.5 | 74.2 | 105 | 22.3 | 64.7 | Steel | 3.5T 3.0T 4 |
| L375 | 114 | 4941392(C) 3966721(S) | Phosphating | None | 45 | 91.5 | 74.2 | 105 | 13 | 89.4 | Steel | 3.5T 3.0T 4 |
| L375 | 114 | 4941393(C) 3966721(S) | Phosphating | None | 45 | 91.5 | 74.2 | 105 | 14.8 | 83 | Steel | 3.5T 3T 4 |
| L375 | 114 | 3967507(C) | Phosphating | None | 45 | 91.5 | 74.1 | | 21 | 69.9 | Steel | 3.5T 3T 4 |
| L375 | 114 | 4941396(C) 3966721(S) | Phosphating | None | 45 | 91.5 | 74.25 | 105 | 13.45 | 99.25 | Steel | |
| L375 | 114 | 4987914 5267632 | Phosphating Graphite | ALFIN OIL GALLERY | 45 | 91 | 74.1 | 110.5 | 22.1 | 65 | AL | 3.5T 3N 4 |
| L375 | 114 | 4936496 | Phosphating Graphite | ALFIN OIL GALLERY Copper Bush | 45 | 91 | 74.1 | 110.5 | 22.1 | 64.8 | AL | 3.5T 3M 4 |
| 6CT | 114 | 3929161 | None | 2-ALFIN | 45 | 91 | 79 | 120.9 | 21.2 | 66.4 | AL | 3.5T 3T 4 |
| ISC | 114 | 5284442(ALFIN) | | ALFIN 2-ALFIN | 45 | 91 | 79 | 115.5 | 81 | 14.5 | AL | 3.5T 3.0T 4 |
| L375 | 114 | 4932720 | None | ALFIN OIL GALLERY | 45 | 91 | 79 | 115.5 | 19.6 | 80 | AL | T 3 4 |
| C8.3, ISC CM2150, 6CTAA8.3, ISC8.3 CM2250 | 114 | 3926961 3926963 3924060 | None | 2-ALFIN | 45 | 91.5 | 79 | 120.5 | 24.5 | 58 | AL | T3.5 T3.0 4.0 |
| CM554, 6C ,QSL9 CM850 6TCA8.3 | 114 | 3942106 | Oxidizing | 2-ALFIN | 45 | 91 | 78.9 | 120.4 | 19.1 | 69.5 | AL 压铸 | T3.5 T3 4 |
| 114 Natrual gas | 114 | | | ALFIN | 45 | 91 | 74.25 | 115.8 | 27.8 | 79.5 | AL | R3 3 4 |

CUMMINS

| ENGINE | Bore | REF. NO. | Surface | Characters | PIN OD | PIN L | KH | GL | MT | MΦ | Material | Thickness |
|------------------|------|------------------------------|-------------------------|---|--------|-------|-------|---------|-------|------|----------|---------------------|
| 114 Fuel gas | 114 | | None | ALFIN | 45 | 91 | 74.25 | 109.25 | 31.1 | 82.5 | AL | R3 3 4 |
| 6CT | 114 | 3919565 | Oxidizing | ALFIN | 45 | 91 | 78.8 | 120.3 | 21 | 66 | AL | T2.17 T1.67 4 |
| L375 | 114 | 530225400 | Phosphating Graphite | ALFIN OIL GALLERY | 45 | 91.5 | 74.2 | 110.5 | 22.1 | 65 | AL | T 3 4 |
| 6CT Natrual gas | 114 | 3992118 | | | | | | | | | AL | |
| 6CT 8.3 | 114 | 3923165 | | | | | | | | | | |
| 6CTA 8.3 | 114 | 3919247 | | | | | | | | | | |
| CT | 114 | 3992117 | None | ALFIN | 45 | 91 | 79 | 120.5 | 29.5 | 75 | AL | R3 3 4 |
| 6C-8.3, ISC, QSC | 114 | 4019886 | Graphite Oxidizing | 2-ALFIN | 45 | 91 | 78.8 | 120.3 | 23.1 | 66.7 | AL | 3.5T 3T 4 |
| 6CT 8.3L | 114 | 3925878 224-3330A | Oxidizing | 2-ALFIN | 45 | 91.5 | 78.9 | 120.4 | 24 | 56.7 | AL | 3.5T 3T 4 |
| L375 | 114 | 3966721(S) | None | None | | | | | | | AL | |
| L375 | 114 | 3966721(S) 4936397(S) | None | None | 45 | 91.5 | | | | | AL | |
| ISLG 8.9 | 114 | 5340507 | Phosphating Graphite | OIL GALLERY | 45 | 66 | 74.1 | 104 | 31 | 61.9 | Steel | R3.0 R3.0 4.0 |
| C SERIES | 114 | 4995845 | None | ALFIN OIL GALLERY | 45 | 91.2 | 74.25 | 109.245 | 22.25 | 64.8 | AL | T3.5 3.0 4.0 |
| ISC | 114 | 4933120(old,2-alfin) | Graphite Oxidizing | ALFIN 2-ALFIN | 45 | 91 | 79 | 115.5 | 81 | 14.5 | AL | 3.5T 3.0T 4 |
| 6CT 8.3L | 114 | 3968439, 3973688, 4943105 | Graphite | ALFIN OIL GALLERY | 45 | 91.5 | 79 | | 19.5 | 66.4 | AL | T? 3.0 4.0 |
| ISLE375 | 114 | 4987914 | PHOSPHATING GRAPHITE | ALFIN OIL GALLERY COOPER BUSH | 45 | 91 | | 110.5 | | 80.5 | | 3.5K 3.0 4.0 |
| 6CT EURO2 | 114 | | PHOSPHATING GRAPHITE | ALFIN OIL GALLERY | 45 | 91 | | 110.5 | | 80.5 | | 3.5K 3.0K 4.0 |
| ISLE530 | 114 | 5302254 | PHOSPHATING GRAPHITE | ALFIN OIL GALLERY | 45 | 91 | | 110 | | 80.4 | | 3.5K 3.0 4.0 |
| 608140 | 114 | 3919564 3923163 | SHINING | ALFIN | 45 | 91 | | 120.3 | | 63.5 | | 3.5K 3.0K 4.0 |
| 6CT210 | 114 | 3923163 | SHINING | ALFIN | 45 | 91 | | 120.3 | | 63.5 | | 3.5K 3.0K 4.0 |
| 6CT | 114 | 3929161 | SHINING | ALFIN | 45 | 91 | | 120.3 | | 66.5 | | 3.5K 3.0K 4.0 |
| 6CT240 | 114 | 3923164 | SHINING | ALFIN | 45 | 91 | | 120.3 | | 66.5 | | 3.5K 3.0K 4.0 |

CUMMINS

| ENGINE | Bore | REF. NO. | Surface | Characters | PIN OD | PIN L | KH | GL | MT | MΦ | Material | Thickness |
|-----------------------|------|--|-------------|---|--------|-------|-------|--------|------|------|----------|------------------------|
| 6CT240 | 114 | 3929565 | SHINING | ALFIN | 45 | 91 | | 120.3 | | 66.7 | | 3.5K 3.0K 4.0 |
| 6CT | 114 | 3923367 | SHINING | ALFIN | 45 | 91 | | 120.5 | | 69.5 | | 3.5K 3.0K 4.0 |
| 6CT230 | 114 | 3923537 | SHINING | ALFIN | 45 | 91 | | 120.5 | | 64.6 | | 3.5K 3.0K 4.0 |
| 6CT260 | 114 | 3925878 | ANODIZED | ALFIN | 45 | 91 | | 120.5 | | 57 | | 3.5K 3.0K 4.0 |
| 6CT300 | 114 | 3925878 | ANODIZED | ALFIN | 45 | 91 | | 120.5 | | 55.8 | | 3.5K 3.0K 4.0 |
| 6CT | 114 | 3919247 | | | | | | | | | | |
| 6CT | 114 | 3963165 | | | | | | | | | | |
| 6CT | 114 | 3923164 | | | | | | | | | | |
| 6CT300 | 114 | | ANODIZED | ALFIN | 45 | 91 | | 120.47 | | 55.8 | | 3.5DK 3.0DK 4.0 |
| 6CTAA 300 马力 | 114 | 3925878 | | ALFIN | 45 | 91 | | 120.4 | | | | 3.2DK 2.8DK 4.00 |
| 6L | 114 | | | ALFIN OIL GALLERY COOPER BUSH | 45 | 91 | | 110.5 | | | | 3.2DK 3.0 4.0 |
| 6L CNG | 114 | | | ALFIN OIL GALLERY COOPER BUSH | 45 | 91 | | 110.5 | | | | 3.2DK 3.0 4.0 |
| 6CT DA | 114 | | | | 45 | 91 | | 120.5 | | | | 3.2DK 3.0DK 4.0 |
| 6DD14 6CT 210HP | 114 | | | | 45 | 91 | | 120.2 | | | | 3.5DK 3.0DK 4.0 |
| 6DD14 6CTAA | 114 | | | | 45 | 91 | | 115.5 | | | | 3.5DK 3.0DK 4.0 |
| M11 | 125 | 4059901(C) | Phosphating | OIL GALLERY | 54 | 102 | 75.3 | 112.5 | 20 | 78.3 | Steel | 3T 3T 4 |
| L10 | 125 | 3044448 3029010 3036669 3037820 3803965 | None | ALFIN | 54 | 98.2 | 78.7 | 124.5 | 11.5 | 90 | AL | 3.16T 3.16T 4.74 |
| M11 | 125 | 4089386(KIT) 3102808(TLA:C+S) 3102807(C) | Phosphating | | 54 | 102 | 75.3 | 112 | 21.5 | 71.2 | Steel | 3T 3T 4 |
| M11 | 125 | 4059948(C) 4070653(S) | Phosphating | OIL GALLERY | 54 | 102 | 75.2 | 112.5 | 22.8 | 84.8 | Steel | 3T 3T 4 |
| QSM11 | 125 | 3103753(C) 4070653(S) | Phosphating | | 54 | 102 | 74.05 | 111.5 | 14.1 | 91 | Steel | 3T 3T 4 |
| M11 | 125 | 4059898 (New 5469020) (C) 4070653(S) (4025158 KIT) | Phosphating | | 54 | 102 | 75.3 | 112.5 | 19.3 | 81.3 | Steel | 3T 3T 4 |

CUMMINS

| ENGINE | Bore | REF. NO. | Surface | Characters | PIN OD | PIN L | KH | GL | MT | MΦ | Material | Thickness |
|---------|---------|-------------------------------|-------------------------------------|------------|--------|-------|-------|--------|-------|--------|----------|-------------------------------------|
| L10 | 125 | 3893751 | Oxidizing | 2-ALFIN | 54 | 102 | 79.64 | 124.96 | 14.55 | 83.55 | AL | 3.16T 3.16T 4.74 |
| L10 | 125 | 3055622 | None | ALFIN | 54 | 98.2 | 79.64 | 125 | 10.69 | 91.8 | AL | 3.16T 3.16T 4.74 |
| NH220 | 130 | 6620-31-2010 | | ALFIN | 50.78 | 110.3 | | 158.7 | | | | 3.75DK 3.75DK 3.75DK 6.1DK |
| NH220 | 130.175 | 6620-31-2010 184800 | TINNED | ALFIN | 50.77 | 110 | | 158.8 | | 101 | | 3.78K 3.78K 3.78K |
| NT855 | 139.7 | 215420 | SHINING | ALFIN | 50.77 | 119.7 | | 152.83 | | 106.7 | | 3.969K 3.175K 3.175K 4.747 |
| NT855 | 139.7 | 3017349 | SHINING | ALFIN | 50.77 | 119.7 | | 158.74 | | 106.43 | | 3.969K 3.175K 3.175K 4.747 |
| NT855 | 139.7 | 3017348 | SHINING | ALFIN | 50.77 | 119.7 | | 159.1 | | 106.43 | | 3.969K 3.175K 3.175K 4.747 |
| NT855 | 139.7 | 3048808 | SHINING | ALFIN | 50.77 | 119.7 | | 159.5 | | 106.43 | | 3.969K 3.175K 3.175K 4.747 |
| NT855 | 139.7 | 3051555 | SHINING | ALFIN | 50.77 | 119.7 | | 159.56 | | 106.43 | | 3.969K 3.175K 3.175K 4.747 |
| NT855 | 139.7 | 3051556 | SHINING | ALFIN | 50.77 | 119.7 | | 159.6 | | 106.43 | | 3.969K 3.175K 3.175K 4.747 |
| NT855 | 139.7 | 3051557 | SHINING | ALFIN | 50.77 | 119.7 | | 159.6 | | 106.43 | | 3.969K 3.175K 3.175K 4.747 |
| NT855-1 | 139.7 | 3051555 3095739 3804414 | | ALFIN | 50.78 | 120 | | 159.8 | | | | 4.0DK 3.2DK 3.2DK 4.76 |
| NT855-2 | 139.7 | 3003175 | | ALFIN | 50.78 | 120 | | 140 | | | | 4.0DK 3.2DK 3.2DK 4.76 |
| K19 | 158.756 | 3096681 | TINNED ANODIZED | ALFIN | 60.947 | 133 | | 161.9 | | 122.5 | | 3.8K 3.76K 4.8 |
| K19 | 158.756 | 3096685 | PHOSPHATING GRAPHITE ANODIZED | ALFIN | 60.947 | 133 | | 163.2 | | 127.4 | | 3.8K 3.76K 4.8 |