

ENGINE	Bore	REF. NO.	Surface	Characters	PIN OD	PIN L	KH	GL	MT	Mφ	Material	Thickness
Φ75 AIR COMPRESSOR	74.94				15	50		57				2 2 4
Φ80 AIR COMPRESSOR	79.88				14	72.4		68.6				2 2 4
DAF104 三环	103.95				42	87.5		130	23.5	60.2		K1.69 2.5 4
DAF104-5R	104.03				38	88		132.7	23.1	59.8		2.4 2.5 2.5 6 6
DF615 DT615 DTD615	104.17	2132200 91571600 87-179000-10		ALFIN	38	88	82	132.8	25	60.2	AL	2.5 2.5 2.5 6 6
DF620	104.175		SHINING	ALFIN STEEL IN	42	87.5		130.1		60		3.0K 2.5 4.0
DAF104-65CF	104.3				42	87.5		124.1	21.1	56		PCN 2.5 4
825DHS	118	2130200 118123 118018	None	ALFIN, STEEL IN	42	98	95	152	24.5	68	AL	3.5 3 3 6
825DHB	118	2133300 118016	None	ALFIN, STEEL IN	42	99	95	152	26.3	64.8	AL	3.5T 3 3 6
RS 180	118	2130100	None	ALFIN	48	97	92	140	24.9	60	AL	3.5T 3 4
PF183M	118	2130800	Graphite	ALFIN	48	97	88	132	18.3	75	AL	3.5T 3 4
825	118		Graphite, Oxidizing	ALFIN, STEEL IN	42	99	95	152	24.9	68	AL	3.5T 3 3 6
DH825	118	415110	None	ALFIN, STEEL IN	42	99	95	152	26.3	61	AL	3.5T 3 3 6
DAF75AIT-4E6	118				48	97		140	25	60		K定制 3 4
DAF75CF-413	118				48	97		132	18.3	75		K定制 3 4
DAF2100- 96+R1	118				42	99		152	26.1	65		K定制 3 3 6
DAF2700	118				42	99		152	24.4	68		K定制 3 3 6
MX-11	123	1976630	Phosphating, Graphite	OIL GALLERY	52	73	72	104.5	14.4	87	Steel	

**DAF**

ENGINE	Bore	REF. NO.	Surface	Characters	PIN OD	PIN L	KH	GL	MT	Mφ	Material	Thickness
WS 242G	130	2136210	Graphite	ALFIN	52	106	101	155	26.32	79	AL	4T 3.16 4
DHS 1160 2800	130	2135900 93052600 87-174100-00 681891 682070	Oxidizing	ALFIN	48	111	101	169.5	29.1	74.6	AL	3.16 3.16 3.16 6.335
WS 242G	130	2136000	Oxidizing	ALFIN	52	106	101	169.5	29.1	74.6	AL	3.16T 3.16 3.16 6.33
XF	130	2137000 80130700 94896600 87-743400-30 1620638	Graphite	ALFIN	52	106	95	143	21.7	82	AL	4T 3.16 4
XE280C1	130	2136900 87-140400-02	Graphite, Oxidizing	ALFIN, OIL GALLERY Copper Bush	52	106	95	143	15.44	99.16	AL	
WS, 222G, Euro 1	130	2136410 94445600 2136400 87-743400-40	Graphite	ALFIN	52	106	101	155	24.75	75	AL	4T 3.16 4
WS, .244, Euro 2	130	2136500		ALFIN	52	106	101	155	21.3	82	AL	4T 3.16 4
XE 250C, XE315C XE355C	130	2136700	Graphite	ALFIN	52	106	95	143.5	17.5	99.5	AL	4 3.3 4
MX300 MX340 MX375	130	1747552 40459600(KS) STU130135 1691750 1731801 1732791 1734672 1736766 1740778 1779929	Phosphating, Graphite	OIL GALLERY	55	82	82	120.5	17.35	93.5	Steel	4T 3.16 4
MX375	130	1805848 40369600(KS)	Phosphating, Graphite	OIL GALLERY	55	82	82	120.5	17.6	94.7	Steel	4T 3.16 4
MX350 MX375 MX-13	130	1976615 40893600	Phosphating, Graphite	OIL GALLERY	55	82	82	116.5	15.8	106.9	Steel	3.5T 2.5 3.5
MX265	130	1780256 87-437500-00 1814008 213PI00102000 40733600	Graphite, Oxidizing	ALFIN, OIL GALLERY Copper Bush	55	106	82	126	17.4	90.7	AL	4T 3.16 4
XE315C4V	130	99506600 1398784	None	ALFIN	52	106	95	143.2	15.5	99.4	AL	?T 3.2 4.0
XF250M XF315M XF355M	130	2137000	Graphite	ALFIN	52	106	95	143.2	21.6	82	AL	4T 3.16 4
MX340S2	130	87-841600-22	Phosphating, Graphite	OIL GALLERY	55	82	81.9	120.4	17.5	91	Steel	4T 3.16 4
XE280C1	130	2136900 87-140400-02	Graphite, Oxidizing	ALFIN, OIL GALLERY	52	106	95	143	15.44	99.16	AL	4T 3.16 4
XF	130		GRAPHITE	ALFIN	52	106		143		110		4.0K 3.16 4.0
XF355	130		GRAPHITE	ALFIN	52	106		143		92.5		4.0K 3.16 4.0
WS242G	130	FA95,3303 MAHLE:2136210	GRAPHITE	ALFIN	52	106		155		75		3.97K 3.16 4.0

DAF

ENGINE	Bore	REF. NO.	Surface	Characters	PIN OD	PIN L	KH	GL	MT	Mφ	Material	Thickness
DKX	130		GRAPHITE	ALFIN	52	106		169.5		74.6		3.0K 3.16 3.16 6.335
AT1160	130		GRAPHITE	ALFIN	52	106		169.5		74.6		3.16K 3.16 3.16 6.335
DSH116	130		GRAPHITE	ALFIN	48	106		169.5		74.6		3.16K 3.16 3.16 6.335
DAF85	130				52	106		143.2	15.4	99.3		K3.4 3.2 4
DAF95-3R	130				52	106		155	29.4	84		K3.4 3.2 4
DAF95XF-4R	130				52	106.2		143	21.5	82.3		K2.58 3.2 3.2 6.4
DAF95XF-3	130				52	106		143	21.5	91.5		K3.4 3.2 4
DAF95-4	130				52	106.2		155	79	86		K2.58 3.2 3.2 6.3
DAF2800	130				48	111		169.5	28.8	74.6		K2.58 3.2 3.2 6.4
DAF3300	130				52	106		169.5	29	74.5		K2.58 3.2 3.2 6.3