

ENGINE	Bore	REF. NO.	Surface	Characters	PIN OD	PIN L	KH	GL	MT	MΦ	Material	Thickness
9H D4164T	75	40179600 7137580000 87-424000-00 A354125 0400600	Graphite	ALFIN, OIL GALLERY	26	61	41.7	65	13.29	41.7	AL	T3.0 1.95 2.5
131A000 F10130	76	0085600 24172	Tin	None	22	61.3	38.5	78				1.5 2.0 3.95
FIAT1.3	76.025	127A5000	SHINING	ALFIN STEEL IN	22	64.5		84.2				2.5K 2.0 3.0
115C000	77	0075200	None	None	22	65	36.5	89			AL	2.0 2.0 3.95
131TC	78		Tin	STEEL IN	22	61.3	38.5	78.1				2 2 4
210S	79		Tin	None	22	66	38	76.9			AL	
132 1600	80		Tin	STEEL IN	22	68	41.3	82				1.5 2.0 4.0
91-RON	80.5	1206020	Tin		22	58.3	33.35	65.33	3	70		1.5 1.75 3.0
91RON	80.5		SHINING	NONE	22	58.2		65.3		71.05		1.5 1.75 3.0
350544	82.2	AE350544	TINNED	NONE	25	66		78				2.0 2.0 3.0
FIAT1.7	82.6	E25900182L68AZ	GRAPHITE	ALFIN	24.99	69.2		78				2.5K 2.0 4.0
UNO	82.6	MAHLE:0091300	GRAPHITE	ALFIN	24.99	69.2		78.5				2.5K 2.0 3.0
80-2010	82.6		ANODIZED	ALFIN	25	69.5		84.3				2.5K 2.0 3.0
DHX	83	94786700	PHOSPHATING GRAPHITE ANODIZED	ALFIN	28	68		79.3				2.8K 2.0 3.0
131A000	84	0086500	Tin	STEEL IN	22	69.1	38.45	77.95				1.5 2.0 4.0
131B2.000	84	0086600 606069	Tin	STEEL IN	22	68	38.5	78			AL	1.5R 2.0 4.0
1321800	84		Tin	STEEL IN	22	69.3	38.5	78.08				1.5 2.0 4.0
CITROEN RHZ,RHK FIAT RHZ,RHK LANCIA RHZ,RHK PEUGEOT RHZ,RHK,RHY,RHV	85	0399900 0399910 06128N3 KS 99879601	Graphite	ALFIN	28	70	46.75	80.75	18.3	38	AL	T3.5 2.0 3.0
TEMPRA	86.4		Tin	None	22	63.3	33.3	65.3				1.5 1.75 3.0
GERATA RITMO	86.4	0087200	Tin	None	22	68.3	34.6	76.5				1.5 2.0 4.0
FIAT-EURO	88		PHOSPHATING GRAPHITE	ALFIN	31	67		84		38		2.5K 2.0 2.5

FIAT IVECO

ENGINE	Bore	REF. NO.	Surface	Characters	PIN OD	PIN L	KH	GL	MT	MΦ	Material	Thickness
8104	93	MAHLE:0080600 KS NO: 93883600	GRAPHITE ANODIZED	ALFIN	32	75.2		89				3.0K 2.0 3.0
IVECO25D	93		GRAPHITE ANODIZED	ALFIN	32	75.2		89				3.0K 2.0 3.0
IVECO2.5L	93	8140.27.200	GRAPHITE	ALFIN COPPER BUSH	32	78		96.75		37.8		3.0K 2.0 3.0
8140.47.2700	93	MAHLE:0090700 KS:94382600	GRAPHITE	ALFIN OIL GALLERY	32	78		96.75		38		3.0K 2.0 3.0
8140.47.2700	93	MAHLE:0090700 KS:94382600	GRAPHITE	ALFIN OIL GALLERY COPPER BUSH	32	78		96.75		38.1		3.0K 2.0 3.0
IVCO93	93				32	78		96.7	18	38		K1.88 2 3
IVECO 高排	93				32	75		96.8				3.0DK 2 3
IVECO94.3	94				32	71.8		87.7	19	39.3		K1.47 2 2.5
09.42 4123	94.4	A350582, 0098900	Graphite	ALFIN、OIL GALLERY	32	72	58.7	87.6	19.4	39.5	AL	3.0 2.0 3.0
DUCATO 2.8	94.4		Tin		32	68	55	90			AL	T? 2.0 2.5
Daily 2.8TD	94.4	A350565 8140.43	PHOSPHATING GRAPHITE	ALFIN OIL GALLERY	32	72		87.6		39.5		2.5K 2.0 2.5
Daily 2.8	94.4	A350511 8140.23.3700			32	78		94.75		39.2		3.0K 2.0 3.0
IVECO 欧 IV	94.4	5801375719 5801375721 5801375722	PHOSPHATING GRAPHITE	ALFIN OIL GALLERY	36	76		87.55		65.6		2.3K 2.0 2.5
803.000	95		TINNED	NONE	32	83.5		101.15		42.5		2.5 2.5 5.5
803.000	95		TINNED	NONE	32	83.5		101.15		42.5		2.5 2.5 5.5
IVECO DAILY IV	95.8	2996843 2995581 40510630 87-421600-00 007PI00106000	Graphite	ALFIN、OIL GALLERY	36	81	63	93.5	16	50.5	AL	2.5T 2.0 2.5
P510200	97		PHOSPHATING GRAPHITE	ALFIN	36	82.5		105.2		54.9		2.3K 2.5 4.0
8025.02	100	1908744 4712886 0079700	None	None	32	84	59.65	101.15	23.7	47		2.5 2.5 5.5
8025.02	100	MAHLE: 0079700 100L107	GRAPHITE	ALFIN	32	83.5		101.15		47		2.5 2.5 5.5
8040.02	100	MAHLE: 0096100 8040.02	SHINING	ALFIN	34	84		101.15		47		2.5 2.5 5.5

ENGINE	Bore	REF. NO.	Surface	Characters	PIN OD	PIN L	KH	GL	MT	MΦ	Material	Thickness
8035.06	100	MAHLE: 0081800 3357	GRAPHITE	ALFIN	38	84.5		108.5		49		2.5 2.5 5.5
8035.06	100		GRAPHITE	NONE	38	84.5		108.5		49		2.5 2.5 5.5
8035.06	100		GRAPHITE	ALFIN	38	84.5		108.5				2.5 2.5 5.5
8025.02	100		GRAPHITE	ALFIN	32	83.5		101.15				2.5 2.5 5.5
8035.05	100		SHINING	NONE	38	84.5		108.5				2.5 2.5 5.5
FIAT-640/L68.2026	100				32	84		101.2	23.7	47.1		2.5 2.5 5.5
Fiat100-WD408-768	100				35	83		103.9	19.3	53.7		2.5 2.5 2.5 5
TECTOR	102	0099300 2996853 504208814 2998353(带环 STD)	None	ALFIN, OIL GALLERY	40	82.8	71.4	105.3	18.55	56.5	AL	3T 2.385 4
102	102	112996845 2996845	None	ALFIN, OIL GALLERY	40	82.8	71.4	105.4	17.1	76.2	AL	2.71T 2.4 4
FIAT102MM	102		SHINING	ALFIN	32	83.5		101.15		48.5		2.5 2.5 5.5
8035.04.80311	103	90654600 1901395 87782000-00	None	None	34	90	59.6	101	23	50	AL	2.8R 2.5N 4
8810	103		SHINING	STELL IN	34	90		101.2		50		2.5 2.5 4.0
L68.1005	103				34	90		101.3	22.6	50		2.5 2.5 4
8030.05	104	0083500 4813587 1902537	None	ALFIN	38	85	65.1	108.5	22.5	52		2.5 2.5 4
8040.25 000	104	500346167 0099500 2991530	Graphite	ALFIN	38	85	65.15	104.15	20.9	54.45	AL	3T 2.5 4
N45	104	118094740 504208873 0102700 40269600	Graphite	ALFIN	38	82	62.4	96.5	24.2	52.4	AL	3.0T 2.385 4
8040.25.00	104	0099500 500346167	Graphite	ALFIN	38	85	65.15	104.15	20.9	54.45	AL	3.0T 2.5T 4
EuroCargo 95 E 21 W	104	94450600 0095500 87-103900-30 8710390030 1908840	Graphite	ALFIN	38	85	65.4	104.4	21.26	48.24	AL	3.5T 2.5 4
F4HE9684JX100	104	87-844700-02	Graphite	ALFIN, OIL GALLERY	38	82	62.5	96.5	20.9	59.6	AL	T3.0 2.38 4.0
IVECO	104		Phosphating, Graphite Oxidizing	ALFIN	38	85	65.2	104.2	21	46	AL	T? 2.5 4.0

ENGINE	Bore	REF. NO.	Surface	Characters	PIN OD	PIN L	KH	GL	MT	MΦ	Material	Thickness
8040.25 000	104	0083600 90152600 1902461	Graphite、 Oxidizing	ALFIN	38	85	65.15	104.15	22.5	54.45	AL	3T 2.5 4
8040.25	104	8040.25	GRAPHITE	ALFIN	38	85		104.1		54.4		3.0K 2.5 4.0
8030.05	104	MAHLENO:008350 KS NO:90158700	PHOSPHATING GRAPHITE	ALFIN	38	85		108.5		52.1		2.5 2.5 4.0
8030.05	104	MAHLE:0083700 104L41(8035.05)	GRAPHITE	ALFIN	38	85		108.5		52.1		2.5 2.5 4.0
8030.05	104	8030.05	GRAPHITE	ALFIN	38	85		108.5		52.1		2.5 2.5 5.5
8045.06	104		SHINING	NONE	38	85		108.5				2.5 2.5 5.5
8030.05	104		SHINING	ALFIN	38	85		108.5		52.1		2.5 2.5 5.5
8045.06	104		SHINING	NONE	38	85		108.5		52.1		2.5 2.5 5.0
8040.25	104		GRAPHITE	ALFIN STEEL IN	38	85		104.1		54.2		3.0K 2.5 4.0
IVPA200	104		SHINING	NONE	38	84		108.6		52		2.5 2.5 4.0
P420325	104		SHINING	ALFIN	38	89		108.5		59.3		2.8K 2.5 4.0
IVECO104	104				38	84		103.9	22.5	54.2		K1.79 2.5 4
IVECO104	104				38	84		104	20.5	46.1		K2.4 浅刀 2.5 4
IVECO104-104L65	104				38	81.5		96.2	24	52.3		K1.79 2.4 4
IVECO104-1037-2007	104				38	84		108.4	22.5	52		2.5 2.5 4
IVECO104-1930186	104.3				38	85		104	20.8	48		2.5 2.5 4
8910	110		SHINING	ALFIN STEEL IN	40	93		140.2		55		2.5 2.5 2.5 4.0
IVECO112	111.86				42	93		126.8	26	52		K2.5 2.5 4
8360.46	112	87-142900-00 0095800 1903678 A350948 50458996 1907666		ALFIN、OIL GALLERY	42	93	76.5	126.5	26.3	52	AL	3.5T 2.5 4.0
8710	115		SHINING	ALFIN STEEL IN	42	97		140.5		54		2.5 2.5 4.0

ENGINE	Bore	REF. NO.	Surface	Characters	PIN OD	PIN L	KH	GL	MT	MΦ	Material	Thickness
IVECO 红岩	117	504226589	None	ALFIN, OIL GALLERY	52	93	80	125.5	20.7	65.7	AL	T? 2.6 4.0
GENLYON	117	504254755	Graphite	ALFIN, OIL GALLERY	52	93					AL	
8460.41	120	61321394 0093500 2991572	Graphite、 Oxidizing	ALFIN, OIL GALLERY Copper Bush	48	96	84.7	134.7	27.4	60	AL	3.5T 3.0 5.0
120MM	120	0093500 2991572 94436600 2991571 61320827	Graphite、 Oxidizing	ALFIN, OIL GALLERY	48	96	84.7	134.7	26.5	60	AL	
10071405111	120		GRAPHITE	ALFIN OIL GALLERY COPPER BUSH	48	96		134.7		60		3,5K 3.0 5.0
8460.21	120	MAHLE:0084100 KS:94436600	GRAPHITE ANODIZED	ALFIN OIL GALLERY COPPER BUSH	48	96		134.7		60		3,5K 3.0 5.0
IVECO120 小燃	120				48	96		134.5	26.3	60		K2.08 3 5
IVECO120 大燃	120				48	107		134.5	22.5	72		K2.08 3 5
F3A	125	125163 / 40339600 2994009 / 504007512 504007513 / 2996216 2996831 / 0096800	Phosphating、 Graphite	ALFIN, OIL GALLERY	50	101	85.5	133.5	21.2	88	AL	
CURSOR 13	135	504006111 0099900 2996841	Graphite	ALFIN, OIL GALLERY	54	107.5	90.4	142.4	23	94	AL	4T 3 5
8042	135	2997438 504198895	Phosphating、 Graphite	ALFIN, OIL GALLERY Copper Bush	54	107.5	90.4	142.5	24.7	93.6	AL	3.0T 3.0 5.0
F3 BE 0681	135	40340600	Phosphating、 Graphite	ALFIN, OIL GALLERY	54	107.5	90.4	142.4	23.1	94	AL	T? 3 5
C13 AC13	135	5801581184	Phosphating、 Graphite	ALFIN, OIL GALLERY Copper Bush							AL	
IVECO	135	5801488853	Phosphating、 Graphite	OIL GALLERY	59	82	80.4	119.4	23	75.4	Steel	T? 2.5 4.0
8210.42	137	4783489 0084300	Graphite、 Oxidizing	ALFIN, OIL GALLERY	50	117	92	157	33	72	AL	4T 3 5.5
8210.42K	137	0089600 1907471	Graphite、 Oxidizing	ALFIN, OIL GALLERY Copper Bush	50	115	92	157	21	83	AL	4T 3 5.5
8210.42	137	1907471 Without bush 0089600 Without bush	Graphite、 Oxidizing	ALFIN, OIL GALLERY	50	115	92	157	21	83.8	AL	4T 3 5.5
8210.42	137	1907474	Graphite	ALFIN, OIL GALLERY	50	115	92	157	25.3	72	AL	
8210.42 K	137	0093400 1907473 99442999 2996879(带环)	Graphite	ALFIN, OIL GALLERY Copper Bush	50	115	92	157	25.5	72		4T 3 5.5

FIAT IVECO

ENGINE	Bore	REF. NO.	Surface	Characters	PIN OD	PIN L	KH	GL	MT	MΦ	Material	Thickness
8210.22.S 8210.22.000	137	0084800 87-207800-10	Graphite	ALFIN、OIL GALLERY	50	117	92	162	32.8	72	AL	4T 3 3 5.5
IVECO137	137		GRAPHITE ANODIZED	ALFIN OIL GALLERY	50	115		157		84.3		4.0K 3.0 5.5
8210.42K	137	MAHLE:0084300	GRAPHITE ANODIZED	ALFIN OIL GALLERY	50	115		157		83.9		4.0K 3.0 5.5
8210.42K	137	8210.42 89600	GRAPHITE ANODIZED	ALFIN OIL GALLERY COPPER BUSH	50	115		157		71.9		4.0K 3.0 5.5
8210.42K	137	8210.42 89600	GRAPHITE ANODIZED	ALFIN OIL GALLERY COPPER BUSH	50	115		157		84.6		4.0K 3.0 5.5
8215	137	MAHLE:0084800	GRAPHITE	ALFIN OIL GALLERY	50	117		162		72		4.0K 3.0 3.0 5.5
IVECO137	137		GRAPHITE ANODIZED	ALFIN OIL GALLERY COPPER BUSH	50	115		157		84.7		4.0K 3.0 5.5
IVECO137 大燃	137				50	115		157	20.8	84		K2.4 3 5.5
IVECO137 三环	137				50	115		157.2	33	72		K2.4 3 5.5
IVECO137 四环	137				50	115		157.2	33	72		K2.4 4 3 5.5
IVECO190	189.8				85	152.5		209				2.5 3.2 3.2 4.8
8035.06												
8030.05												
8035/8045.05												
8040.02-50NC												