

RENAULT

ENGINE	Bore	REF. NO.	Surface	Characters	PIN OD	PIN L	KH	GL	MT	MΦ	Material	Thickness
D7F	69				17.5			44.7				1.2 1.5 2.5
D7F	69				17.5			50.5				1.5 1.5 2.5
R5-NEW	70				18	62		68				1.75 2.0 3.5
RNPA100	73				20			62.7				1.75 2.0 4.0
K9K	73.500		GRAPHITE	ALFIN OIL GALLERY	26.000	59.30		65.100		45.00		2.1HK 2 2
R271-01	73.700		GRAPHITE	ALFIN	25.000	60.00		65.240		42.30		2.5K 2 2.5
R271	73.700		GRAPHITE	ALFIN	25.000	60.00		65.440		37.00		2.5K 2 2.5
RENAULT75	75.000	KS NO:40179600	GRAPHITE	ALFIN OIL GALLERY	待定	待定		65.200		41.70		3.0K 2 2.5
R6J/R7J	75.77				19	56		52.7				1.5 1.75 3.0
C3J 710	76	0217810 80-3850-00	Phosphating、Graphite	ALFIN、OIL GALLERY	26	60	41.7	66	13.5	47		2 2 2.5
K9K 728 Euro 3	76	120A17699R 7701475354 87-123400-20 80-3802-00 87-71831	Phosphating、Graphite	ALFIN、OIL GALLERY	26	60	41.7	66	14	39.8	AL	2 2 2.5
K9K	76	40190600 7138440000 0220100 87-123400-10 A354068	Graphite	ALFIN	26	60	41.8	66	14	39.65	AL	R2.0 2.0 2.5
C1J C2J	76				20	64		64.3				1.75 2.0 4.0
J15	76.00				20.000			64.00				1.75 2.0 4.0
C2L	77				20	64		60.5				1.75 2.0 4.0
CLIO 1.4	79.5				19.985	62		64.5				1.5 1.5 2.5
3735	79.5				19							1.5 1.5 2.5
K4M	79.50				20.000			55.00				1.2 1.5 2.5
K4M	79.50				19.000			57.00				1.5 1.5 2.5
K4M	79.50				19.000			52.80				1.5 1.5 2.5

RENAULT

ENGINE	Bore	REF. NO.	Surface	Characters	PIN OD	PIN L	KH	GL	MT	MΦ	Material	Thickness
F8Q77	80.000	MAHLE:0219300 80V201	GRAPHITE	ALFIN STEEL IN	24.000	63.00		67.400		/		2 2 3
F8Q	80.000		TINNED	ALFIN STEEL IN	24.000	63.00		70.500		/		2 2 3
R19TD	80				24	63		70.5				2.0 2.0 3.0
R19/R21	80				24	63		70.5				2.0 2.0 3.0
AZ17	80				24	63		70.5				2.0 2.0 3.0
F9Q	80.01	0215800	Graphite		28	60	47.06	77	17.8	38	AL	R2.0 2.0 3.0
6012	81.000		GRAPHITE&TINNED	ALFIN	28.000	69.00		73.800		49.20		2.1HK 2 2
870	84.000		GRAPHITE&TINNED	ALFIN	32.000	65.00		76.000		49.00		2.5HK 2 2
M9T606/M9T670	85	97504600 021PI00116000 120A11957R 4420364	Graphite	ALFIN, OIL GALLERY	32	65	47.88	76	16.2	50		2.5ET 2.5 2
7R2	86.000	8648	PHOSPHATE& GRAPHITE	ALFIN OIL GALLERY	30.000	67.00		69.800		46.90		2 2 2
G9T	87.000	87-127400-10	PHOSPHATE& GRAPHITE	ALFIN	31.000	65.00		84.200		35.40		3.0HK 1.75 2.5
G9T	87.010		PHOSPHATE& GRAPHITE	ALFIN OIL GALLERY	31.000	65.00		84.200		40.40		3.0HK 1.75 2.5
G9U EURO3	89.000	009168	GRAPHITE	ALFIN OIL GALLERY	31.000	65.00		83.090		43.20		3.0HK 1.75 2.5
MIDR602.026D	102	A350715	None	ALFIN	42	84	71.18	108.2	20.8	58.8	AL	3.5T 2.5 4.0
MIDR 06.02.26. Y41	102	A350609	None	ALFIN	42	84	71.23	108.2	20.83	60	AL	3.5T 2.5 4.0
MIDR0602.026D	102		None	ALFIN	42	84	71.18	108.2	20.8	58.8		3.5T 2.5 4.0
MIDR0602.026D	102		None	ALFIN	42	84	78.3	123.3	20.6	56	AL	3.5T 2.5 4.0
MIDR602.026D	102	94724700(KS) , 5924400	None	ALFIN	42	84	71.2	108.2	20.6	59.9	AL	3.5T 2.5 4.0
102	102		None	ALFIN	42	84	78.2	123.3	21	56	AL	3.0T 2.5 5
797 797-20 797-26	102	87-346500-00	Graphite	ALFIN	36	86	77.8	132.1	37.3	38	AL	T3 2.5 5

RENAULT

ENGINE	Bore	REF. NO.	Surface	Characters	PIN OD	PIN L	KH	GL	MT	MΦ	Material	Thickness
712,798	102	5923100	Phosphating	ALFIN	36	86	77.75	131.7	38.2	38	AL	3T 2.5 2.5 5
MIDR602.026D	102		None	ALFIN	42	84	71.23	108.18	20.83	60	AL	3.5T 2.5 4.0
102 短	102				42	84		108.3	20.4	59		K2.25*7度 2.5 4
102 长	102				36	86		132	36.6	37.7		K1.74*147度 2.5 5
80-4012	102.000		SHINING	ALFIN	42.000	84.00		108.180		64.8/60		3.3K 2.5 4
MIDR602.026	102.000		SHINING	ALFIN	42.000	84.00		108.230		59.00		3.5K 2.5 4
MIDR06.02.12	102.000		SHINING	ALFIN	42.000	84.00		123.250		55.80		3.0K 2.5 5
RV1102-1	102.000		SHINING	ALFIN	42.000	84.00		108.200		59.00		3.0K 2.5 4
RV1105-2	102.000		SHINING	ALFIN	42.000	80.00		123.500		63.00		2.6K 2.5 5
DXi 5, DXi 7	108	099PI00127000 87-863000-02 87863000002 87-71495-STD 8771495STD	None	ALFIN	45	86	70.9	107.8	19.6	64.5	AL	3T 2 3.5
MIPR620.3045E	120	0000295360 2096800	Tin	ALFIN	50	97.4	83.9	134.9	23.1	74	AL	3.5T 3.0 4.0
MIPR620.3045E	120	2097100 87-337500-00 99844600	Tin	ALFIN	50	97.4	83.8	134.8	23	74	AL	3.5T 3.0 4.0
MID 620.30	120	2095500 90747600 0000323746	Graphite	ALFIN	41.97	100	74.45	130.95	24.7	68	AL	3.25T 3.0 4.0
3012	120		Graphite	ALFIN	50	97.4	83.8	134.8	22.9	73.8	AL	?T 3 4
MIDR620.3045E	120	2096800 2095710 91683700 87-337500-50 8733750050	Tin	ALFIN	50	97.4	83.9	134.6	22	73.6	AL	3.5 3 4
340	120	2096900 5.04011 99844600	Graphite	ALFIN	50	97.4	83.8	134.8	23.25	69.8	AL	3.5T 3 4
120	120				50	97.5		134.8	23.1	69.6		K1.91 3 4
120	120	2095710			50	97.5		134.8	23	74.1		K1.91 3 4
120	120	2097100			50	97.5		134.8	22.5	74.1		K1.91 3 4

RENAULT

ENGINE	Bore	REF. NO.	Surface	Characters	PIN OD	PIN L	KH	GL	MT	MΦ	Material	Thickness
3814	120.000	2092210	GRAPHITE	ALFIN	50.000	97.50		134.800		74.00		3.5K 3 4
ASA2556	120.000	ASA2556 MAHLE:2095720	TINNED	ALFIN	50.000	97.50		134.900		74.00		3.3K 3 4
ASA2540	120.000	ASA2540 MAHLE:2095710 KS NO: 91683700	TINNED	ALFIN	50.000	97.50		134.900		70.00		3.3K 3 4
2900LONG	120.000		GRAPHITE	ALFIN	50.000	97.40		150.900		65.70		3.25K 3 4
MIDR620.30	120.000	MAHLENO:2091800 KS NO:93394600 /700	ANODIZED	ALFIN	50.000	97.40		150.900		71.70		3.25K 3 3 4
3810	120.000		GRAPHITE	ALFIN	50.000	97.50		134.800		74.00		3.5K 3 4
MIDR620.45	120.020		GRAPHITE	ALFIN	50.000	97.40		134.800		74.00		3.25K 3 4
MIDR620.45	120.020		GRAPHITE	ALFIN	50.000	97.40		134.800		73.70		3.5K 3 4
123	122.95				50	97.5		120.5	23.1	72.7		K2.47*7 度 3 4
DCI11(375 马力)	123	5010222090	Phosphating	None	50	102	78.3	114.3	23.5	72.5	Steel	3.5T 3 4
DCI11(420 马力)	123	D5600621133	Phosphating	None	50	102	78.5	114.3	24	72.4	Steel	3.5T 3 4
DCI11	123	2096200	Phosphating	None	50	102	78.48	114.48	24	72.6	Steel	3.5T 3.0 4.0
MIDR623.56	123	2095900 5001855845 5001845663 40074600 87-135500-00 8713550000	Tin	ALFIN, Copper Bush	50	97.4	78.3	120.3	24.1	75	AL	3.5 3.0 4.0
DCi 11E, MIDR 06.23.56	123	2096300 5010477524 477453	Phosphating, Graphite	ALFIN, OIL GALLERY	50	102	78.3	120.3	23.5	72.6	AL	3.5T 3.0 4.0
一汽锡柴东风雷诺	123		Phosphating, Graphite	ALFIN, OIL GALLERY	54	100	80.9	123	19.6	75.5	AL	T? 3.0 4.0
东风雷诺 DCI11	123		None	None	50	102					AL	
DONGFENG RENAULT 天龙	123	5010224127 D5010224127	Phosphating, Graphite	OIL GALLERY	53	82	72	106.5	21	75	Steel	T? 3.0 3.0
DXI11	123.01	21280618 (2097300)	Phosphating	OIL GALLERY	54	73	78.4	114.4	16.9	83.6	Steel	3.3 2.5 3.0
MIDR623.56	123.031	MAHLE NO:2095900	TINNED	ALFIN COPPER BUSH	50.000	97.40		120.300		75.00		3.5K 3 4
MIDR623.56	123.031	MAHLE NO:2095900	TINNED	ALFIN	50.000	97.40		120.300		75.00		3.5K 3 4

RENAULT

ENGINE	Bore	REF. NO.	Surface	Characters	PIN OD	PIN L	KH	GL	MT	MΦ	Material	Thickness
MD635.40/ M635.40	135	2092600 135L15	Graphite、Oxidizing	ALFIN	50	115.2	90.2	170.1	43.9	53.1	AL	3.5T 3.0 3.0 6.0
MIDR 635.40 G2	135	2094100 80041200 90947600 885585 87-335900-00 5000014401 8733590000 5000666861	Graphite	ALFIN	55	112	90.3	170.2	25.93	77.95	AL	4T 3.0 4.0
MIDR 635.40	135	2092400	Graphite	ALFIN	55	112.5	90.2	170	29	78	AL	3.5T 3.0 4.0
MIDR 635.40	135	2095300 94511700 (KS)	None	ALFIN、 Copper Bush	55	108	90.4	149.4	21.7	78	AL	4 3 4
MDR 635.40	135	2092800	Graphite	ALFIN	50	115.2	90.3	170.2	40.9	57	AL	3.5T 3 3 6
MDS 635.40	135	2092300	Graphite	ALFIN	55	112	90.3	170.2	29.02	77.95		3.5T 3 6
MIDR635.40J3	135	2095300(WITHOU BUSH)	None	ALFIN	55	108	90.4	149.4	21.7	78	AL	4.0T 3.0 4.0
MIDR 635.40	135		Phosphating、Graphite	ALFIN	55	112	90.3	170.2	26	78	AL	3.5T 3 4
MIDR 635.40	135.000	MAHLE: 2092300	GRAPHITE	ALFIN	55.000	112.00		170.200		77.70		3.3K 3 6
RVI340	135	2094100			55	112		170.4	23.1	77.7		K2.47 3 4
RVI385	135	2095300			55	108		149.5	21.5	77.9		K2.47 3 4
MIDR 635.40	135.030	MAHLE NO: 2095300	SHINING	ALFIN COPPER BUSH	55.000	108.00		149.400		92.50		4.0K 3 4
MIDR 635.40	135.030		SHINING	ALFIN COPPER BUSH	55.000	108.00		149.400		77.80		4.0K 3 4
MIDR 635.40	135.030	MAHLE NO: 2095300	SHINING	ALFIN	55.000	108.00		149.400		92.50		4.0K 3 4
MIDR 635.40	135.030		PHOSPHATE& GRAPHITE	ALFIN	55.000	112.00		170.200		78.00		4.0K 3 4
MIDR 635.40	135.030		GRAPHITE	ALFIN	55.000	112.00		170.200		77.70		3.5K 3 4
M635.40	135.030		GRAPHITE& ANODIZED	ALFIN	50.000	115.00		170.200		52.90		3.5K 3 3 6