

Series No.	Engine Code	Cyl. No.	Position	Size (mm)			Shape	Material	Surface treatment	Reference
				d1(D)	h1(B)	a1(T)				
SUZUKI										
1	F8A	4	1st	62.00	1.50	2.60	BF	SR	GN	12140-73010
			2nd		1.50	2.80	T1	CR	Fe	
			Oil		2.80	2.80	NIFF-H	SR	Cr/Fe	
2	F8A	4	1st	62.00	1.50	2.60	BF	SR	GN	12140-73010
			2nd		1.50	2.80	T1	CR	Fe	
			Oil		2.80	2.95	NIFF-S	SR	Cr/Fe	
3	F10A	4	1st	65.50	1.50	2.60	BF	SR	GN	12140-75111 12140-75110(cyl)
			2nd		1.50	2.70	T1	CR	Fe	
			Oil		2.80	2.80	NIFF-H	SR	Cr/Fe	
4	F10A	4	1st	65.50	1.50	2.60	BF	SR	GN	12140-75111 12140-75110(cyl)
			2nd		1.50	2.70	T1	CR	Fe	
			Oil		2.80	2.95	NIFF-S	SR	Cr/Fe	
5	K6A	3	1st	68.00	1.00	2.25	BF-IB	SR	Cr/Ox	12140-73601
			2nd		1.20	2.55	TUC	CR	Fe	
			Oil		2.00	2.30	NIFF-H	SR	Cr/Fe	
6	K10A	4	1st	68.00	1.00	2.25	BF-IB	SR	Cr/Ox	12140-73G01-000
			2nd		1.20	2.55	TUC	CR	Fe	
			Oil		2.00	2.30	NIFF-H	SR	Cr/Fe	
7	SS80 Y64 Y65	3	1st	68.50	1.50	2.60	BF	SR	GN	12140-78410 12140-78411(cyl)
			2nd		1.50	2.80	T1	CR	Fe	
			Oil		2.80	2.80	NIFF-H	SR	GN	
8	SS80 Y64 Y65	3	1st	68.50	1.50	2.60	BF	SR	GN	12140-78410 12140-78411(cyl)
			2nd		1.50	2.80	T1	CR	Fe	
			Oil		2.80	2.90	NIFF-S	SR	Cr/Fe	

Series No.	Engine Code	Cyl. No.	Position	Size (mm)			Shape	Material	Surface treatment	Reference
				d1(D)	h1(B)	a1(T)				
SUZUKI										
9	SS80 Y64 Y65	3	1st	68.50	1.50	2.60	BF	SR	GN	12140-78410 12140-78411(cyl)
			2nd		1.50	2.80	T1	CR	Fe	
			Oil		2.80	3.00	NIFF-H	SR	Cr/Fe	
10	SS80 Y64 Y65	3	1st	68.50	1.50	2.60	BF	SR	GN	12140-78410 12140-78411(cyl)
			2nd		1.50	2.80	T1	CR	Fe	
			Oil		2.80	3.00	NIFF-H	SR	GN	
11	K12A	4	1st	71.00	1.00	2.60	BF-IB	SR	Cr/Fe	12140-75F30-000
			2nd		1.20	2.80	TUC	CR	Cr/Fe	
			Oil		2.00	2.40	NIFF-H	SR	GN	
12	G10	4	1st	72.00	1.20	2.70	BF-IB	SR	GN	12140-72F00
			2nd		1.50	3.20	TUC	CR	Fe	
			Oil		2.80	2.80	NIFF-H	SR	GN	
13	K10B	3	1st	73.00	1.00	2.35	BF-IB	SR	GN	12140B58M50N000
			2nd		1.20	2.35	TUC	CR	Cr/Fe	
			Oil		2.00	2.00	NIFF-H	SR	GN	
14	K10B	3	1st	73.00	1.00	2.35	BF-IB	SR	GN	12140B58M50N000
			2nd		1.20	2.60	TUC	CR	Fe	
			Oil		2.00	2.20	NIFF-H	SR	GN	
15	G10	3	1st	74.00	1.20	2.90	BF-IB	SR	Cr/Ox	12140-63E50
			2nd		1.50	3.10	T1-IB	CR	Fe	
			Oil		2.80	2.85	NIFF-H	SR	Cr/Fe	

Series No.	Engine Code	Cyl. No.	Position	Size (mm)			Shape	Material	Surface treatment	Reference
				d1(D)	h1(B)	a1(T)				
SUZUKI										
16	G13B G13BB	4	1st	74.00	1.20	2.75	BF-IB	SR	GN	12140-63E50
			2nd		1.20	3.20	TUN	CR	Fe	
			Oil		2.50	2.85	NIFF-H	SR	GN	
17	G16A G16B	4	1st	75.00	1.20	2.90	BF-IB	SR	GN+PVD	12140-60A50
			2nd		1.50	3.20	TUC	CR	Fe	
			Oil		2.80	2.80	NIFF-H	SR	GN	
18		4	1st	75.00	1.00	2.30	BF	SR	GN+PVD	
			2nd		1.00	2.50	TUC	SR	Cr/Ox	
			Oil		2.00	2.00	NIFF-H	SR	PVD	
19	M13A M15A	4	1st	78.00	1.20	2.80	BF-IB	SR	GN	12140-54GA0
			2nd		1.20	3.00	TUC	CR	Fe	
			Oil		2.50	2.25	NIFF-H	SR	GN	